

part thereof. The legal dividing of a large block, lot or outlot within a recorded subdivision plat without changing exterior boundaries of said block, lot or outlot is not a replat.

(12) (am) Except as provided in par. (bm), “subdivision” means a division of a lot, parcel, or tract of land by the owner thereof or the owner’s agent for the purpose of sale or of building development and to which any of the following applies:

1. The act of division creates 5 or more parcels or building sites of 1 1/2 acres each or less in area.

2. Five or more parcels or building sites of 1 1/2 acres each or less in area are created by successive divisions within a period of 5 years.

(bm) “Subdivision” does not include a division of land into 5 or more parcels or building sites by a certified survey map in accordance with an ordinance enacted or a resolution adopted under s. 236.34 (1) (ar) 1.

(13) “Town planning agency” means a town zoning committee appointed under s. 60.61 (4) (a) or any agency created by the town board and authorized by statute to plan land use.

History: 1979 c. 221; 1979 c. 233 s. 8; 1979 c. 248 ss. 2, 25 (4); 1979 c. 361; 1983 a. 189, 473, 532, 538; 1985 a. 29; 1987 a. 399; 1993 a. 490; 1995 a. 27 ss. 6307m, 6308, 9116 (5); 1995 a. 201; 1997 a. 27; 1999 a. 96; 2001 a. 16; 2013 a. 272, 358.

Chapter 236 does not authorize the transportation department to regulate land divisions that are not subdivisions within the meaning of s. 236.02 (12). *Wisconsin Builders Association v. DOT*, 2005 WI App 160, 285 Wis. 2d 472, 702 N.W.2d 433, 04–2388.

Sub. (12) was not applicable to determining whether a condominium parcel met the minimum lakeshore frontage requirement of a zoning ordinance as: 1) a declaration of condominium is not a subdivision of land as defined in ch. 236; and 2) even if ch. 236 were used by analogy the determination of lot sizes under sub. (12) refers to lot area and not lot width or lakeshore frontage. A subdivision under ch. 236 requires a division of land. A condominium declaration changes the form of ownership and is not a division of land. *FAS, LLC v. Town of Bass Lake*, 2007 WI 73, 301 Wis. 2d 321, 733 N.W.2d 287, 05–1689. See also s. 710.09.

In determining lot sizes under sub. (8), [now sub. (12)], the lots may not extend across navigable waters or public easements of passage, nor include any land whose servitude is inconsistent with its integrated functional use and unified ownership. 66 Atty. Gen. 2. But see *FAS, LLC v. Town of Bass Lake*, 2007 WI 73, 301 Wis. 2d 321, 733 N.W.2d 287, 05–1689.

Chapter 236 does not require a replat when the division of a lot or redivision of more than one lot does not meet the definition of a “subdivision” under this section. 67 Atty. Gen. 121.

Certified survey maps under s. 236.34 cannot substitute for subdivision surveys under sub. (8), [now sub. (12)]. Penalties under s. 236.31 apply to improper use of certified surveys. 67 Atty. Gen. 294.

236.025 Ordinary high water marks. (1) For purposes of ss. 236.15 (1) (ag) and (d) and 236.20 (2) (g), a professional land surveyor may do any of the following:

(a) Incorporate into a map, plat, or survey an ordinary high water mark that has been determined by the department of natural resources or otherwise determined pursuant to law.

(b) Approximate the ordinary high water mark and incorporate that mark into a map, plat, or survey.

(2) For purposes of sub. (1) (b), the location of the approximate ordinary high water mark shall be the point on the bank of a navigable stream or on the shore of a lake up to which the presence and action of surface water is so continuous as to leave a distinctive mark by erosion, destruction of terrestrial vegetation, or other easily recognized characteristics. If the approximate location of the ordinary high water mark is difficult to determine, a professional land surveyor may consider other points on the bank or shore for purposes of approximating the location of the ordinary high water mark.

(3) For purposes of this section, a map, plat, or survey that shows an approximate ordinary high water mark shall state on its face that the mark is shown for reference only.

NOTE: This section is created eff. 8–1–14 by 2013 Wis. Act 358.

History: 2013 a. 358.

236.03 Survey and plat; when required. (1) Any division of land that results in a subdivision as defined in s. 236.02 (12) (am) 1. shall be, and any other division may be, surveyed and a plat thereof approved and recorded as required by this chapter. No map or survey purporting to create divisions of land or intending

to clarify metes and bounds descriptions may be recorded except as provided by this chapter.

(2) This chapter does not apply to cemetery plats made under s. 157.07 and assessors’ plats made under s. 70.27, but such assessors’ plats shall, except in counties having a population of 500,000 or more, comply with ss. 236.15 (1) (ac) to (g) and 236.20 (1) and (2) (a) to (e), unless waived under s. 236.20 (2) (L).

NOTE: Sub. (2) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(2) This chapter does not apply to cemetery plats made under s. 157.07 and assessors’ plats made under s. 70.27, but such assessors’ plats shall, except in counties having a population of 500,000 or more, comply with ss. 236.15 (1) (a) to (g) and 236.20 (1) and (2) (a) to (e), unless waived under s. 236.20 (2) (L).

(3) Subsection (1) shall not apply to the sale or exchange of parcels of public utility or railroad right-of-way to adjoining property owners if the governing body of the municipality or town in which the property is located and the county planning agency, where such agency exists, approves such sale or exchange on the basis of applicable local ordinances or the provisions of this chapter.

History: 1983 a. 189 s. 329 (23); 1983 a. 473; 1993 a. 490; 2013 a. 272, 358.

The provisions of s. 236.41 relating to vacation of streets are inapplicable to assessors’ plats under s. 70.27. Once properly filed and recorded, an assessor’s plat becomes the operative document of record, and only sections specified in s. 236.03 (2) apply to assessor’s plats. *Schaetz v. Town of Scott*, 222 Wis. 2d 90, 585 N.W.2d 889 (Ct. App. 1998), 98–0841.

A replat of a recorded subdivision must comply with the formal platting requirements of ch. 236 relating to new subdivision plats, including those relating to the survey, approval, and recording. 63 Atty. Gen. 193.

SUBCHAPTER II

APPROVAL OF PLAT

236.10 Approvals necessary. (1) To entitle a final plat of a subdivision to be recorded, it shall have the approval of the following in accordance with the provisions of s. 236.12:

(a) If within a municipality, the governing body, but if the plat is within an area, the annexation of which is being legally contested, the governing bodies of both the annexing municipality and the town from which the area has been annexed shall approve.

(b) If within the extraterritorial plat approval jurisdiction of a municipality:

1. The town board; and

2. The governing body of the municipality if, by July 1, 1958, or thereafter it adopts a subdivision ordinance or an official map under s. 62.23; and

3. The county planning agency if such agency employs on a full-time basis a professional engineer, a planner or other person charged with the duty of administering zoning or other planning legislation.

(c) If outside the extraterritorial plat approval jurisdiction of a municipality, the town board and the county planning agency, if there is one.

(2) If a subdivision lies within the extraterritorial plat approval jurisdiction of more than one municipality, the provisions of s. 66.0105 shall apply.

(3) The authority to approve or object to preliminary or final plats under this chapter may be delegated to a planning committee or commission of the approving governing body. Final plats dedicating streets, highways or other lands shall be approved by the governing body of the town or municipality in which such are located.

(4) Any municipality, town or county may under s. 66.0301 agree with any other municipality, town or county for the cooperative exercise of the authority to approve or review plats. A municipality, town or county may, under s. 66.0301, agree to have a regional planning commission review plats and submit an advisory recommendation with respect to their approval. A municipality, town or county may agree with a regional planning com-

mission for the cooperative exercise of the authority to approve or review plats only as provided under s. 66.0309 (11).

(5) Any municipality may waive its right to approve plats within any portion of its extraterritorial plat approval jurisdiction by a resolution of the governing body recorded with the register of deeds incorporating a map or metes and bounds description of the area outside its corporate boundaries within which it shall approve plats. The municipality may rescind this waiver at any time by resolution of the governing body recorded with the register of deeds.

History: 1979 c. 248; 1993 a. 301; 1999 a. 150 s. 672.

A city improperly included lots not within its extraterritorial plat approval jurisdiction in the city's calculation of fees assessed to a developer. *Brookhill Development, Ltd. v. City of Waukesha*, 103 Wis. 2d 27, 307 N.W.2d 242 (1981).

Section 236.12 (2) (a) does not restrict a town's authority to impose public improvements as conditions for plat approval during a contested annexation. When a town is legally contesting the annexation, sub. (1) (a) requires both the annexing municipality and the town from which the area has been annexed to approve a final plat in accordance with s. 236.12. *KW Holdings, LLC v. Town of Windsor*, 2003 WI App 9, 259 Wis. 2d 357, 656 N.W.2d 752, 02–0706.

Artificial lakes and land subdivisions. *Kusler*, 1971 WLR 369.

236.11 Submission of plats for approval. (1) (a) Before submitting a final plat for approval, the subdivider may submit, or the approving authority may require that the subdivider submit, a preliminary plat. It shall be clearly marked "preliminary plat" and shall be in sufficient detail to determine whether the final plat will meet layout requirements. Within 90 days the approving authority, or its agent authorized to approve preliminary plats, shall take action to approve, approve conditionally, or reject the preliminary plat and shall state in writing any conditions of approval or reasons for rejection, unless the time is extended by agreement with the subdivider. Failure of the approving authority or its agent to act within the 90 days, or extension thereof, constitutes an approval of the preliminary plat.

(b) If the final plat conforms substantially to the preliminary plat as approved, including any conditions of that approval, and to local plans and ordinances adopted as authorized by law, it is entitled to approval. If the final plat is not submitted within 36 months after the last required approval of the preliminary plat, any approving authority may refuse to approve the final plat or may extend the time for submission of the final plat. The final plat may, if permitted by the approving authority, constitute only that portion of the approved preliminary plat that the subdivider proposes to record at that time.

(c) A professional engineer, a planner, or another person charged with the responsibility to review plats shall provide the approving authority with his or her conclusions as to whether the final plat conforms substantially to the preliminary plat and with his or her recommendation on approval of the final plat. The conclusions and recommendation shall be made a part of the record of the proceeding at which the final plat is being considered and are not required to be submitted in writing.

(2) (a) The subdivider or subdivider's agent shall submit to the body or bodies having authority to approve plats an electronic copy of the final plat or a copy of the final plat that is capable of legible reproduction. The approving authority or authorities shall approve or reject the final plat within 60 days of its submission, unless the time is extended by agreement with the subdivider or subdivider's agent. When the approving authority is a municipality and determines to approve the plat, it shall give at least 10 days' prior written notice of its intention to the clerk of any municipality whose boundaries are within 1,000 feet of any portion of such proposed plat but failure to give such notice shall not invalidate any such plat. If a plat is rejected, the reasons therefor shall be stated in the minutes of the meeting and a copy thereof or a written statement of the reasons shall be supplied to the subdivider or subdivider's agent. If the approving authority fails to act within 60 days and the time has not been extended by agreement and if no unsatisfied objections have been filed within that period, the plat shall be deemed approved, and, upon demand, a certificate to that effect

shall be made on the face of the plat by the clerk of the authority that has failed to act.

(b) The approval of the approving authority or authorities may be based on the copy submitted under par. (a) but the approval must be inscribed on the recordable plat document. Before inscribing its approval, the approving authority shall require the subdivider or subdivider's agent to certify the respects in which the recordable plat document differs from the copy, if any. An approving authority must approve all modifications in the final plat before it gives final approval to the plat. No approving authority may inscribe its final approval on a plat before the affixing of the certificate by the department under s. 236.12 (3).

NOTE: Sub. (2) is shown as affected eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(2) The body or bodies having authority to approve plats shall approve or reject the final plat within 60 days of its submission, unless the time is extended by agreement with the subdivider. When the approving authority is a municipality and determines to approve the plat, it shall give at least 10 days' prior written notice of its intention to the clerk of any municipality whose boundaries are within 1,000 feet of any portion of such proposed plat but failure to give such notice shall not invalidate any such plat. If a plat is rejected, the reasons therefor shall be stated in the minutes of the meeting and a copy thereof or a written statement of the reasons supplied the subdivider. If the approving authority fails to act within 60 days and the time has not been extended by agreement and if no unsatisfied objections have been filed within that period, the plat shall be deemed approved, and, upon demand, a certificate to that effect shall be made on the face of the plat by the clerk of the authority which has failed to act.

History: 1979 c. 248; 1997 a. 332; 2009 a. 376; 2013 a. 358.

Under s. 236.11 (1) (a), a village must act within the stated time limit as to a preliminary plat, even though the plat allegedly violates the official city map. Tabling consideration of the plat within the stated time is not sufficient. *State ex rel. Lozoff v. Board of Trustees of Hartland*, 55 Wis. 2d 64, 197 N.W.2d 798 (1972).

236.12 Procedure for approval of plats. (1) This section shall not apply to cities of the first class nor to unincorporated land in a county having a population of 500,000 or more.

(2) (ac) The subdivider or subdivider's agent shall submit an electronic copy of the preliminary or final plat, or a copy of the preliminary or final plat that is capable of clearly legible reproduction, to the department, which shall examine the plat for compliance with ss. 236.15, 236.16, 236.20, and 236.21 (1) and (2).

(ap) Within 2 days after a preliminary or final plat is submitted under par. (ac), the department shall transmit an electronic copy of the plat, or, if the department prefers, 2 legible hard copies of the plat, to each state agency authorized to object to the plat under this paragraph. If the subdivision abuts or adjoins a state trunk highway or connecting highway, the department shall transmit a copy or copies of the plat to the department of transportation so that the agency may determine whether it has any objection to the plat on the basis of its rules as provided in s. 236.13. If the subdivision is not served by a public sewer and provision for that service has not been made, the department shall transmit a copy or copies of the plat to the department of safety and professional services so that the agency may determine whether it has any objection to the plat on the basis of its rules as provided in s. 236.13. In lieu of this procedure the agencies may designate local officials to act as their agents in examining the plats for compliance with the statutes or their rules by filing a written delegation of authority with the approving body.

(b) Within 2 days after a preliminary or final plat is submitted under par. (ac), the department shall transmit an electronic copy of the plat, or, if the department prefers, 4 legible hard copies of the plat, to the county planning agency, if the agency employs on a full-time basis a professional engineer, a planner, or other person charged with the duty of administering planning legislation and adopts a policy requiring submission so that the body may determine if it has any objection to the plat on the basis of a conflict with park, parkway, expressway, major highways, airports, drainage channels, schools, or other planned public developments. If no county planning agency exists, then 2 copies to the county park commission except that in a county with a county executive or county administrator, 2 copies to the county park manager, if the subdivision abuts a county park or parkway so that

the body may determine if it has any objection to the plat on the basis of a conflict with the park or parkway development.

NOTE: Sub. (2) is shown as affected eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(2) Within 2 days after a preliminary or final plat is submitted for approval, legible copies, together with a list of the authorities to which the plat must be submitted for approval under s. 236.10 or objection under this subsection, furnished by the subdivider at the subdivider's expense, shall be sent, by the clerk or secretary of the approving authority to which the plat is submitted, to the following agencies which have authority to object to the plat:

(a) Two copies for each of the state agencies required to review the plat to the department which shall examine the plat for compliance with ss. 236.15, 236.16, 236.20 and 236.21 (1) and (2). If the subdivision abuts or adjoins a state trunk highway or connecting highway, the department shall transmit 2 copies to the department of transportation so that agency may determine whether it has any objection to the plat on the basis of its rules as provided in s. 236.13. If the subdivision is not served by a public sewer and provision for that service has not been made, the department shall transmit 2 copies to the department of safety and professional services so that that agency may determine whether it has any objection to the plat on the basis of its rules as provided in s. 236.13. In lieu of this procedure the agencies may designate local officials to act as their agents in examining the plats for compliance with the statutes or their rules by filing a written delegation of authority with the approving body.

(b) Four copies to the county planning agency, if the agency employs on a full-time basis a professional engineer, a planner, or other person charged with the duty of administering planning legislation and adopts a policy requiring submission so that body may determine if it has any objection to the plat on the basis of conflict with park, parkway, expressway, major highways, airports, drainage channels, schools, or other planned public developments. If no county planning agency exists, then 2 copies to the county park commission except that in a county with a county executive or county administrator, 2 copies to the county park manager, if the subdivision abuts a county park or parkway so that body may determine if it has any objection to the plat on the basis of conflict with the park or parkway development.

(3) Within 20 days after the date of receiving the copies of the plat any agency having authority to object under sub. (2) shall notify the subdivider or subdivider's agent and all other agencies having the authority to object of any objection based upon failure of the plat to comply with the statutes or rules that its examination under sub. (2) is authorized to cover, or, if there is no objection, it shall so certify on the face of a copy of the plat and return that copy to the 9 department. After each agency and the department have certified that they have no objection or that their objections have been satisfied, the department shall so certify on the face of the plat. If an agency fails to act within 20 days from the date on which it received the copy or copies of the plat, and the department fails to act within 30 days from the date on which it received the copy of the plat, it shall be deemed that there are no objections to the plat and, upon demand, the department shall so certify on the face of the plat.

NOTE: Sub. (3) is shown as consolidated with sub. (6) and amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 sub. (3) reads:

(3) Within 20 days of the date of receiving the copies of the plat any agency having authority to object under sub. (2) shall notify the subdivider and all approving or objecting authorities of any objection based upon failure of the plat to comply with the statutes or rules which its examination under sub. (2) is authorized to cover, or, if there is no objection, it shall so certify on the face of a copy of the plat and return that copy to the approving authority from which it was received. The plat shall not be approved or deemed approved until any objections have been satisfied. If the objecting agency fails to act within the 20-day limit it shall be deemed to have no objection to the plat. No approving authority may inscribe its approval on a plat prior to the affixing of the certificates under either sub. (4) or (6).

(4) The clerk or secretary of the approving authority forwarding copies of the plat under sub. (2) shall certify on the face of the plat that the copies were forwarded as required and the date thereof and that no objections to the plat have been filed within the 20-day limit set by sub. (3) or, if filed, have been met.

NOTE: Sub. (4) is repealed eff. 8–1–14 by 2013 Wis. Act 358.

(4m) In order to facilitate approval of the final plat whenever more than one approval is required, the subdivider or subdivider's agent shall file with each approving authority a true copy of the plat that the subdivider or subdivider's agent submitted to the department.

NOTE: Sub. (4m) is shown as renumbered from sub. (8) and amended eff. 8–1–14 by 2013 Wis. Act 358.

(5) Where more than one approval is required, copies of the plat shall be sent as required by sub. (2) by the approving authority to which the plat is first submitted.

NOTE: Sub. (5) is repealed eff. 8–1–14 by 2013 Wis. Act 358.

(6) In lieu of the procedure under subs. (2) to (5), the subdivider or the subdivider's agent may submit the original plat to the department which shall forward 2 copies to each of the agencies authorized by sub. (2) to object. The department shall have the required number of copies made at the subdivider's expense. Within 20 days of the date of receiving the copies of the plat any agency having authority to object under sub. (2) shall notify the subdivider, and all agencies having the authority to object, of any objection based upon failure of the plat to comply with the statutes or rules which its examination under sub. (2) is authorized to cover, or, if there is no objection, it shall so certify on the face of a copy of the plat and return that copy to the department. After each agency and the department have certified that they have no objection or that their objections have been satisfied, the department shall so certify on the face of the plat. If an agency fails to act within 20 days from the date of the receipt of copies of the plat, and the department fails to act within 30 days of receipt of the original plat it shall be deemed that there are no objections to the plat and, upon demand, it shall be so certified on the face of the plat by the department.

NOTE: Sub. (6) is consolidated with sub. (3) and amended eff. 8–1–14 by 2013 Wis. Act 358. The consolidated provision is numbered sub. (3).

(7) The department and the state agencies referred to in s. 236.13 (1) may charge reasonable service fees for all or part of the costs of activities and services provided by the department under this section and s. 70.27. A schedule of such fees shall be established by rule by each such agency.

(8) In order to facilitate approval of the final plat where more than one approval is required, the subdivider may file a true copy of the plat with the approving authority or authorities with which the original of the final plat has not been filed. The approval of such authorities may be based on such copy but shall be inscribed on the original of the final plat. Before inscribing its approval, the approving authority shall require the surveyor or the owner to certify the respects in which the original of the final plat differs from the copy. All modifications in the final plat shall be approved before final approval is given.

NOTE: Sub. (8) is renumbered to sub. (4m) and amended eff. 8–1–14 by 2013 Wis. Act 358.

History: 1973 c. 90; 1977 c. 29 s. 1654 (3), (8) (c); 1979 c. 221; 1979 c. 248 ss. 5, 25 (6); 1979 c. 355; 1985 a. 29; 1995 a. 27; 1997 a. 27; 2011 a. 32; 2013 a. 358.

A "planned public development" under sub. (2) (b) is one that a county board has adopted by ordinance. *Reynolds v. Waukesha County Park & Planning Commission*, 109 Wis. 2d 56, 324 N.W.2d 897 (Ct. App. 1982).

Because sub. (2) (a) grants only to a "town or municipality" within which a plat lies the authority to require public improvements as a condition of plat approval, and a county is not a municipality for purposes of ch. 236, a county may not regulate the size of cul-de-sacs, the length of street blocks, and the location of town roads when the plat is located within a town. *Rogers Development v. Rock County Planning and Development Committee*, 2003 WI App 113, 265 Wis. 2d 214, 666 N.W.2d 504, 02–0017.

236.13 Basis for approval. (1) Approval of the preliminary or final plat shall be conditioned upon compliance with:

(a) The provisions of this chapter;

(b) Any municipal, town, or county ordinance that is in effect when the subdivider submits a preliminary plat, or a final plat if no preliminary plat is submitted;

(d) The rules of the department of safety and professional services relating to lot size and lot elevation necessary for proper sanitary conditions in a subdivision not served by a public sewer, where provision for public sewer service has not been made;

(e) The rules of the department of transportation relating to provision for the safety of entrance upon and departure from the abutting state trunk highways or connecting highways and for the preservation of the public interest and investment in such highways.

(2) (a) 1. As a further condition of approval, the governing body of the town or municipality within which the subdivision lies may require that the subdivider make and install any public improvements reasonably necessary or that the subdivider provide security to ensure that he or she will make those improvements within a reasonable time. The governing body may not

require the subdivider to provide security at the commencement of a project in an amount that is more than 120 percent of the estimated total cost to complete the required public improvements. It is the subdivider's option whether to execute a performance bond or whether to provide a letter of credit to satisfy the governing body's requirement that the subdivider provide security to ensure that the public improvements are made within a reasonable time. The subdivider may construct the project in such phases as the governing body approves, which approval may not be unreasonably withheld. If the subdivider's project will be constructed in phases, the amount of security required by the governing body shall be limited to the phase of the project that is currently being constructed. The governing body may not require that the subdivider provide any security for improvements sooner than is reasonably necessary before the commencement of the installation of the improvements. If the governing body of the town or municipality requires a subdivider to provide security under this paragraph, the governing body may not require the subdivider to provide the security for more than 14 months after the date the public improvements for which the security is provided are substantially completed and upon substantial completion of the public improvements, the amount of the security the subdivider is required to provide may be no more than an amount equal to the total cost to complete any uncompleted public improvements plus 10 percent of the total cost of the completed public improvements. This paragraph applies to all preliminary and final plats, regardless of whether submitted for approval before, on, or after August 1, 2014.

NOTE: Subd. 1. is shown as affected eff. 8–1–14 by 2013 Wis. Acts 280 and 358 and as merged by the legislative reference bureau under s. 13.92 (2) (i). Prior to 8–1–14 it reads:

1. As a further condition of approval, the governing body of the town or municipality within which the subdivision lies may require that the subdivider make and install any public improvements reasonably necessary or that the subdivider provide security to ensure that he or she will make those improvements within a reasonable time. The governing body may not require the subdivider to provide security at the commencement of a project in an amount that is more than 120 percent of the estimated total cost to complete the required public improvements. It is the subdivider's option whether to execute a performance bond or whether to provide a letter of credit to satisfy the governing body's requirement that the subdivider provide security to ensure that the public improvements are made within a reasonable time. The subdivider may construct the project in such phases as the governing body approves, which approval may not be unreasonably withheld. If the subdivider's project will be constructed in phases, the amount of security required by the governing body shall be limited to the phase of the project that is currently being constructed. The governing body may not require that the subdivider provide any security for improvements sooner than is reasonably necessary before the commencement of the installation of the improvements. If the governing body of the town or municipality requires a subdivider to provide security under this paragraph, the governing body may not require the subdivider to provide the security for more than 14 months after the date the public improvements for which the security is provided are substantially completed and upon substantial completion of the public improvements, the amount of the security the subdivider is required to provide may be no more than an amount equal to the total cost to complete any uncompleted public improvements plus 10 percent of the total cost of the completed public improvements.

2. For purposes of subd. 1., public improvements reasonably necessary for a project or a phase of a project are considered to be substantially completed at the time the binder coat is installed on roads to be dedicated or, if the required public improvements do not include a road to be dedicated, at the time that 90 percent of the public improvements by cost are completed.

(b) Any city or village may require as a condition for accepting the dedication of public streets, alleys or other ways, or for permitting private streets, alleys or other public ways to be placed on the official map, that designated facilities shall have been previously provided without cost to the municipality, but which are constructed according to municipal specifications and under municipal inspection, such as, without limitation because of enumeration, sewerage, water mains and laterals, storm water management or treatment facilities, grading and improvement of streets, alleys, sidewalks and other public ways, street lighting or other facilities designated by the governing body, or that a specified portion of such costs shall be paid in advance as provided in s. 66.0709.

(c) Any county, town, city or village may require as a condition of approval that the subdivider be responsible for the cost of any necessary alterations of any existing utilities which, by virtue of the platting or certified survey map, fall within the public right-of-way.

(d) As a further condition of approval, any county, town, city or village may require the dedication of easements by the subdivider for the purpose of assuring the unobstructed flow of solar or wind energy across adjacent lots in the subdivision.

(2m) As a further condition of approval when lands included in the plat lie within 500 feet of the ordinary high–water mark of any lake, any navigable stream, or any other body of navigable water or if land in the proposed plat involves lake or navigable stream shorelands referred to in s. 236.16, the department of natural resources, to prevent pollution of navigable waters, or the department of safety and professional services, to protect the public health and safety, may require assurance of adequate drainage areas for private on–site wastewater treatment systems and building setback restrictions, or provisions by the owner for public sewage disposal facilities for waters of the state, as defined in s. 281.01 (18), industrial wastes, as defined in s. 281.01 (5), and other wastes, as defined in s. 281.01 (7). The public sewage disposal facilities may consist of one or more systems as the department of natural resources or the department of safety and professional services determines on the basis of need for prevention of pollution of the waters of the state or protection of public health and safety.

NOTE: Sub. (2m) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(2m) As a further condition of approval when lands included in the plat lie within 500 feet of the ordinary high–water mark of any navigable stream, lake or other body of navigable water or if land in the proposed plat involves lake or stream shorelands referred to in s. 236.16, the department of natural resources, to prevent pollution of navigable waters, or the department of safety and professional services, to protect the public health and safety, may require assurance of adequate drainage areas for private on–site wastewater treatment systems and building setback restrictions, or provisions by the owner for public sewage disposal facilities for waters of the state, as defined in s. 281.01 (18), industrial wastes, as defined in s. 281.01 (5), and other wastes, as defined in s. 281.01 (7). The public sewage disposal facilities may consist of one or more systems as the department of natural resources or the department of safety and professional services determines on the basis of need for prevention of pollution of the waters of the state or protection of public health and safety.

(3) No approving authority or agency having the power to approve or object to plats shall condition approval upon compliance with, or base an objection upon, any requirement other than those specified in this section.

(4) Where more than one governing body or other agency has authority to approve or to object to a plat and the requirements of such bodies or agencies are conflicting, the plat shall comply with the most restrictive requirements.

(5) Any person aggrieved by an objection to a plat or a failure to approve a plat may appeal therefrom as provided in s. 62.23 (7) (e) 10., 14. and 15., within 30 days of notification of the rejection of the plat. For the purpose of such appeal the term "board of appeals" means an "approving authority". Where the failure to approve is based on an unsatisfied objection, the agency making the objection shall be made a party to the action. The court shall direct that the plat be approved if it finds that the action of the approving authority or objecting agency is arbitrary, unreasonable or discriminatory.

(6) An outlet may not be used as a building site unless it is in compliance with restrictions imposed by or under this section with respect to building sites. An outlet may be conveyed regardless of whether it may be used as a building site.

History: 1977 c. 29 ss. 1384, 1654 (8) (c); 1977 c. 162; 1979 c. 221, 248; 1981 c. 289 s. 19; 1981 c. 354; 1993 a. 414; 1995 a. 27 ss. 6310, 6311, 9116 (5); 1995 a. 227; 1997 a. 27; 1999 a. 9; 1999 a. 150 s. 672; 2001 a. 30; 2007 a. 44; 2009 a. 372, 376; 2011 a. 32, 146; 2013 a. 280, 358; s. 13.92 (2) (i).

Local units of government may not reject a proposed plat under this section unless the plat conflicts with an existing statutory requirement or an existing written ordinance, master plan, official map, or rule under sub. (1). State ex rel. Columbia Corporation v. Town of Pacific, 92 Wis. 2d 767, 286 N.W.2d 130 (Ct. App. 1979).

Under sub. (2) (a), authority to condition plat approval on public improvements is granted solely to the governing body of the municipality in which the subdivision is located. *Rice v. City of Oshkosh*, 148 Wis. 2d 78, 435 N.W.2d 252 (1989).

Municipalities have no authority to impose conditions upon a subdivision that extend beyond the municipality's borders. *Pedersen v. Town of Windsor*, 191 Wis. 2d 664, 530 N.W.2d 427 (Ct. App. 1995).

Sub. (2) (a) does not grant a municipality the power to establish public improvement requirements without an ordinance. *Pedersen v. Town of Windsor*, 191 Wis. 2d 664, 530 N.W.2d 427 (Ct. App. 1995).

Sub. (1) (d) does not prevent municipalities from enacting more restrictive sewer regulations than the rules cited in that paragraph. *Manthe v. Town of Windsor*, 204 Wis. 2d 546, 555 N.W.2d 156 (Ct. App. 1996), 95–1312.

So long as any issues addressed in both a master plan and an official map are not contradictory, for purposes of sub. (1) (c), the master plan is consistent with the official map. A master plan is not inconsistent with an official map if the plan contains elements the map does not. *Lake City Corp. v. City of Mequon*, 207 Wis. 2d 155, 558 N.W.2d 100 (1997), 94–3240.

In the area of minimum lot size regulation, the power of a plan commission authorized to review plats is not limited or detracted by zoning regulations. *Lake City Corp. v. City of Mequon*, 207 Wis. 2d 156, 558 N.W.2d 100 (1997), 94–3240.

As sub. (5) does not expressly designate the “appealing authority” to whom appeal papers should be directed, the appellant’s service of an appeal on the county planning and development department rather than on the planning and development committee, which had made the disputed decision, was not grounds for dismissal when there had been pervasive use of department personnel and stationery in the process. *Weber v. Dodge County Planning and Development Dept.* 231 Wis. 2d 222, 604 N.W.2d 297 (Ct. App. 1999), 99–1116.

Sub. (2) (a) does not restrict a town’s authority to impose public improvements as conditions for plat approval during a contested annexation. When a town is legally contesting the annexation s. 236.10 (1) (a) requires both the annexing municipality and the town from which the area has been annexed to approve a final plat in accordance with s. 236.12. *KW Holdings, LLC v. Town of Windsor*, 2003 WI App 9, 259 Wis. 2d 357, 656 N.W.2d 752, 02–0706.

Chapter 236 does not authorize the transportation department to regulate land divisions that are not subdivisions within the meaning of s. 236.02 (12). *Wisconsin Builders Association v. DOT*, 2005 WI App 160, 285 Wis. 2d 472, 702 N.W.2d 433, 04–2388.

A city’s extraterritorial plat condition that allowed lots of less than 20 acres only when attached to the public sanitary sewer system had the effect of requiring a public sanitary sewer system for lot sizes smaller than 20 acres, violating the ruling of *Rice* that authority to condition plat approval on public improvements is granted solely to the governing body of the municipality in which the subdivision is located. *Town of Delton v. City of Baraboo*, 2007 WI App 120, 301 Wis. 2d 720, 731 N.W.2d 308, 06–1288.

SUBCHAPTER III

LAYOUT REQUIREMENTS

236.15 Surveying requirements. For every subdivision of land there shall be a survey meeting the following requirements:

(1) **MONUMENTS.** All of the monuments required in pars. (a) to (h) shall be placed flush with the ground where practicable.

NOTE: Sub. (1) (intro.) is renumbered to sub. (1) (ac) and amended eff. 8–1–14 by 2013 Wis. Act 358.

(a) The external boundaries of a subdivision shall be monumented in the field by monuments of concrete containing a ferrous rod one–fourth inch in diameter or greater imbedded its full length, not less than 18 inches in length, not less than 4 inches square or 5 inches in diameter, and marked on the top with a cross, brass plug, iron rod, or other durable material securely embedded; or by iron rods or pipes at least 18 inches long and 2 inches in diameter weighing not less than 3.65 pounds per lineal foot. Solid round or square iron bars of equal or greater length or weight per foot may be used in lieu of pipes wherever pipes are specified in this section. These monuments shall be placed at all corners, at each end of all curves, at the point where a curve changes its radius, at all angle points in any line and at all angle points along the meander line, said points to be not less than 20 feet back from the ordinary high water mark of the lake or from the bank of the stream, except that when such corners or points fall within a street, or proposed future street, the monuments shall be placed in the side line of the street.

NOTE: Par. (a) is renumbered to par. (ag) and amended eff. 8–1–14 by 2013 Wis. Act 358.

(ac) All of the monuments required in pars. (ag) to (h) shall be placed flush with the ground if practicable. Whenever placement of a monument under this subsection is required at a corner or point that falls within a street or proposed future street, the monument shall be placed in the side line of the street if practicable.

NOTE: Par. (ac) is shown as renumbered from sub. (1) (intro.) and amended eff. 8–1–14 by 2013 Wis. Act 358.

(ag) The external boundaries of a subdivision shall be monumented in the field by monuments of concrete containing a ferrous rod one–fourth inch in diameter or greater imbedded its full length, not less than 18 inches in length, not less than 4 inches square or 5 inches in diameter, and marked on the top with a cross, brass plug, iron rod, or other durable material securely embedded; or by iron rods or pipes at least 18 inches long and 2 inches in diameter weighing not less than 3.65 pounds per lineal foot. Solid round or square iron bars of equal or greater length or weight per foot may be used in lieu of pipes wherever pipes are specified in this section. These monuments shall be placed at all corners, at each end of all curves, at the point where a curve changes its radius, at all angle points in any line and at all angle points along the meander line, said points to be not less than 20 feet back from the determined or approximated ordinary high water mark.

NOTE: Par. (ag) is shown as renumbered from par. (a) and amended eff. 8–1–14 by 2013 Wis. Act 358.

(b) All internal boundaries and those corners and points not required to be marked by par. (ag) shall be monumented in the field by like monuments as defined in par. (ag). These monuments shall be placed at all block corners, at each end of all curves, at the point where a curve changes its radius, and at all angle points in any line.

NOTE: Par. (b) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(b) All internal boundaries and those corners and points not required to be marked by par. (a) shall be monumented in the field by like monuments as defined in par. (a). These monuments shall be placed at all block corners, at each end of all curves, at the point where a curve changes its radius, and at all angle points in any line.

(c) All lot, outlot, park and public access corners and the corners of land dedicated to the public shall be monumented in the field by iron pipes at least 18 inches long and one inch in diameter, weighing not less than 1.13 pounds per lineal foot, or by round or square iron bars at least 18 inches long and weighing not less than 1.13 pounds per lineal foot.

(d) The lines of lots, outlots, parks and public access and land dedicated to the public that extend to lakes or to navigable streams shall be monumented in the field by iron pipes at least 18 inches long and one inch in diameter weighing not less than 1.13 pounds per lineal foot, or by round or square iron bars at least 18 inches long and weighing not less than 1.13 pounds per lineal foot. These monuments shall be placed at the point of intersection of the lake or navigable stream lot line with a meander line established not less than 20 feet back from the determined or approximated ordinary high water mark.

NOTE: Par. (d) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(d) The lines of lots, outlots, parks and public access and land dedicated to the public that extend to lakes or streams shall be monumented in the field by iron pipes at least 18 inches long and one inch in diameter weighing not less than 1.13 pounds per lineal foot, or by round or square iron bars at least 18 inches long and weighing not less than 1.13 pounds per lineal foot. These monuments shall be placed at the point of intersection of the lake or stream lot line with a meander line established not less than 20 feet back from the ordinary high water mark of the lake or from the bank of the stream.

(f) Any durable metal or concrete monuments may be used in lieu of iron pipes provided that they are uniform within the platted area and have a permanent magnet embedded near the top or bottom or both.

(g) In cases where strict compliance with this subsection would be unduly difficult or would not provide adequate monuments, the department may make other reasonable requirements.

(h) The governing body of the city, village or town which is required to approve the subdivision under s. 236.10 may waive the placing of monuments under pars. (b), (c) and (d) for a reasonable time on condition that the subdivider executes a surety bond to ensure that he or she will place the monuments within the time required.

(2) **ACCURACY OF SURVEY.** The survey shall be performed by a professional land surveyor and if the error in the latitude and

departure closure of the survey or any part thereof is greater than the ratio of one in 3,000, the plat may be rejected.

NOTE: Sub. (2) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(2) **ACCURACY OF SURVEY.** The survey shall be performed by a land surveyor registered in this state and if the error in the latitude and departure closure of the survey or any part thereof is greater than the ratio of one in 3,000, the plat may be rejected.

History: 1979 c. 221, 248; 1979 c. 355 s. 240; 1981 c. 390; 2001 a. 16; 2013 a. 358.

All permanent survey monuments required by sub. (1) (a), (b), (c), and (d) must be placed in the field prior to submission of a final subdivision plat for state level review; provided, however, that in the event of a waiver under sub. (1) (h), the placement of all permanent monuments other than those required by sub. (1) (a) may be temporarily deferred. 59 Atty. Gen. 262.

236.16 Layout requirements. (1) **MINIMUM LOT WIDTH AND AREA.** In counties having a population of 40,000 or more, each lot in a residential area shall have a minimum average width of 50 feet and a minimum area of 6,000 square feet; in counties of less than 40,000, each lot in a residential area shall have a minimum average width of 60 feet and a minimum area of 7,200 square feet. In municipalities, towns and counties adopting subdivision control ordinances under s. 236.45, minimum lot width and area may be reduced to dimensions authorized under such ordinances if the lots are served by public sewers.

(2) **MINIMUM STREET WIDTH.** All streets shall be of the width specified on the master plan or official map or of a width at least as great as that of the existing streets if there is no master plan or official map, but no full street shall be less than 60 feet wide unless otherwise permitted by local ordinance. Widths of town roads platted after January 1, 1966, shall, however, comply with minimum standards for town roads prescribed by s. 82.50. Streets or frontage roads auxiliary to and located on the side of a full street for service to the abutting property may not after January 1, 1966, be less than 49.5 feet wide.

(3) **LAKE AND NAVIGABLE STREAM SHORE PLATS; PUBLIC ACCESS.** (a) All subdivisions abutting on a lake or a navigable stream shall provide public access at least 60 feet wide providing access to the water's edge so that there will be public access, which is connected to existing public roads, at not more than one-half mile intervals as measured along the lake or the navigable stream shore except where greater intervals and wider access is agreed upon by the department of natural resources and the department, and excluding shore areas where public parks or open-space streets or roads on either side of the navigable stream are provided.

NOTE: Sub. (3) (title) and (a) are shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(3) **LAKE AND STREAM SHORE PLATS.** (a) All subdivisions abutting on a navigable lake or stream shall provide public access at least 60 feet wide providing access to the low watermark so that there will be public access, which is connected to existing public roads, at not more than one-half mile intervals as measured along the lake or stream shore except where greater intervals and wider access is agreed upon by the department of natural resources and the department, and excluding shore areas where public parks or open-space streets or roads on either side of a stream are provided.

(b) No public access established under this chapter may be vacated except by circuit court action as provided in s. 236.43, except that such public access may be discontinued under s. 66.1003, subject to s. 66.1006.

NOTE: Par. (b) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(b) No public access established under this chapter may be vacated except by circuit court action as provided in s. 236.43.

(c) Except as provided in par. (d), this subsection does not require any local unit of government to improve land provided for public access.

(d) All of the owners of all of the land adjacent to a public access established under par. (a) to an inland lake, as defined in s. 30.92 (1) (bk), may petition the city, village, town or county that owns the public access to construct shoreline erosion control measures. Subject to par. (e), the city, village, town or county shall construct the requested shoreline erosion control measures or request the department of natural resources to determine the need for shoreline erosion control measures. Upon receipt of a request

under this paragraph from a city, village, town or county, the department of natural resources shall follow the notice and hearing procedures in s. 30.208 (3) to (5). Subject to par. (e), the city, village, town or county shall construct shoreline erosion control measures as required by the department of natural resources if the department of natural resources determines all of the following:

1. Erosion is evident along the shoreline in the vicinity of the public access.

2. The shoreline erosion control measures proposed by the owners of the property adjacent to the public access are designed according to accepted engineering practices.

3. Sufficient property owners, in addition to the owners of all property adjacent to the public access, have agreed to construct shoreline erosion control measures so that the shoreline erosion control project is likely to be effective in controlling erosion at the location of the public access and its vicinity.

4. The shoreline erosion control project is not likely to be effective in controlling erosion at the location of the public access and its vicinity if the city, village, town or county does not construct shoreline erosion control measures on the land provided for public access.

(e) A city, village, town or county may not be required to construct shoreline erosion control measures under par. (d) on land other than land provided for public access.

(f) Paragraphs (b) to (e) apply to public access that exists on, or that is established after, May 7, 1998.

(4) **LAKE AND NAVIGABLE STREAM SHORE PLATS; LAND BETWEEN MEANDER LINE AND WATER'S EDGE.** The lands lying between the meander line, established in accordance with s. 236.20 (2) (g), and the water's edge, and any otherwise unplattable lands which lie between a proposed subdivision and the water's edge shall be included as part of lots, outlots or public dedications in any plat abutting a lake or a navigable stream. This subsection applies not only to lands proposed to be subdivided but also to all lands under option to the subdivider or in which the subdivider holds any interest and which are contiguous to the lands proposed to be subdivided and which abut a lake or a navigable stream.

NOTE: Sub. (4) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(4) **LAKE AND STREAM SHORE PLATS.** The lands lying between the meander line, established in accordance with s. 236.20 (2) (g), and the water's edge, and any otherwise unplattable lands which lie between a proposed subdivision and the water's edge shall be included as part of lots, outlots or public dedications in any plat abutting a lake or stream. This subsection applies not only to lands proposed to be subdivided but also to all lands under option to the subdivider or in which the subdivider holds any interest and which are contiguous to the lands proposed to be subdivided and which abut a lake or stream.

History: 1971 c. 164; 1979 c. 221; 1979 c. 248 ss. 9, 25 (2); 1997 a. 172; 2003 a. 118, 214; 2013 a. 358.

NOTE: 2003 Wis. Act 214, which affected this section, contains extensive explanatory notes.

Cross-reference: See also ss. NR 1.91 and 1.93, Wis. adm. code.

When a strip of land was labeled on a plat "Public Access" that abutted a lake and connected to a public highway, the plat substantially met the statutory requirement of a "clear dedication to the public." While the dedication did not contain the exact formula found in s. 236.20 (4), under *Hunt, 19 Wis. 2d 113*, that is not necessary. *Vande Zande v. Town of Marquette, 2008 WI App 144, 314 Wis. 2d 143, 758 N.W.2d 187, 07–2354.*

The circumstances under which the statutory platting standards set forth in subs. (1), (2), and (3) and 236.20 (4) (d) may be waived or varied, with specific reference to the approval of island subdivision plats, are discussed. 62 Atty. Gen. 315.

Each of 2 adjacent platted lots may not be divided for the purpose of sale or building development if the division will result in lots or parcels that do not comply with minimum lot width and area requirements established under sub. (1). Section 236.335 clearly limits the division of a lot in a recorded plat if the resulting lots or parcels do not conform to this chapter. 63 Atty. Gen. 122.

Sub. (3) does not apply to a navigable lake created by artificially enlarging a previously nonnavigable watercourse. 64 Atty. Gen. 146.

The extent to which local governments may vary the terms of ss. 236.16 (1) and (2) and 236.20 (4) (d) by ordinance is discussed. 64 Atty. Gen. 175.

Sub. (4) aims at preventing subdividers from creating narrow, unplatted buffer zones between platted lands and water's edge, thus avoiding public access requirements. 66 Atty. Gen. 85.

236.18 Wisconsin coordinate system. (1) **REQUIREMENT FOR RECORDING.** (a) No plat that is referenced to a Wisconsin coordinate system under sub. (2) may be recorded unless it is based on

a datum that the approving authority under s. 236.10 of the jurisdiction in which the land is located has selected by ordinance.

(b) An approving authority under s. 236.10 may select a Wisconsin coordinate system under sub. (2). If it does so, it shall notify the department, on a form provided by the department, of the selection.

(c) An approving authority may, by ordinance, select a different Wisconsin coordinate system under sub. (2) than the one previously selected under par. (b). If it does so, the approving authority shall notify the department on a form provided by the department.

(2) ALLOWABLE SYSTEMS. An approving authority under s. 236.10 may select any one of the following systems:

(a) The Wisconsin coordinate system of 1927, which is based on the North American datum of 1927.

(b) The Wisconsin coordinate system of 1983 (1986), which is based on the North American datum of 1983 (adjustment of 1986).

(c) The Wisconsin coordinate system of 1983 (1991), which is based on the North American datum of 1983 (adjustment of 1991).

(d) A county coordinate system as approved by the department of transportation or a coordinate system that is mathematically relatable to a Wisconsin coordinate system.

(3) ZONES. Each of the systems under sub. (2) includes the following zones:

(a) A north zone composed of the following counties: Ashland, Bayfield, Burnett, Douglas, Florence, Forest, Iron, Oneida, Price, Sawyer, Vilas and Washburn.

(b) A central zone composed of the following counties: Barron, Brown, Buffalo, Chippewa, Clark, Door, Dunn, Eau Claire, Jackson, Kewaunee, Langlade, Lincoln, Marathon, Marinette, Menominee, Oconto, Outagamie, Pepin, Pierce, Polk, Portage, Rusk, St. Croix, Shawano, Taylor, Trempealeau, Waupaca and Wood.

(c) A south zone composed of the following counties: Adams, Calumet, Columbia, Crawford, Dane, Dodge, Fond du Lac, Grant, Green, Green Lake, Iowa, Jefferson, Juneau, Kenosha, La Crosse, Lafayette, Manitowoc, Marquette, Milwaukee, Monroe, Ozaukee, Racine, Richland, Rock, Sauk, Sheboygan, Vernon, Walworth, Washington, Waukesha, Waushara and Winnebago.

(4) APPLICABLE DEFINITIONS AND SURVEY CONNECTIONS. (a) The following definitions apply to the systems under sub. (2):

1. For the Wisconsin coordinate system of 1927, the definitions provided by the national geodetic survey in U.S. coastal and geodetic survey special publication 235 (1974 edition).

2. For the Wisconsin coordinate system of 1983 (1986) and the Wisconsin coordinate system of 1983 (1991), the definitions provided by the national geodetic survey in the national oceanic and atmospheric administration manual national ocean service, national geodetic survey 5 (1989 edition).

(b) Existing positions of the systems under sub. (2) that are marked on the ground by monuments established in conformity with standards adopted by the national geodetic survey for 3rd-order work and above and the geodetic positions of which have been rigidly adjusted on the North American datum of 1927, the North American datum of 1983 (adjustment of 1986), the North American datum of 1983 (adjustment of 1991) or any later adjustment of the North American datum of 1983 may be used to establish a survey connection to the systems under sub. (2).

(5) OVERLAPPING LAND. If portions of any tract of land that is to be defined by one description in a plat are in different zones under sub. (3), the positions of all of the points on its boundaries may be referred to either of the zones but the zone to which those positions are referred and the system under sub. (2) that is used shall be named in the description and noted on the face of all maps and plats of the land.

(6) COORDINATES. (a) The plane coordinates of a point that are to be used to express the position or location of a point shall consist of 2 distances that are expressed in U.S. survey feet or meters and decimals of those feet or meters. The definitions of survey foot and meter in letter circular 1071 July 1976 national institute of standards and technology shall be used for conversion between feet and meters.

(b) For the Wisconsin coordinate system of 1927, the distances under par. (a) are the x-coordinate, which shall give the position in an east-and-west direction, and the y-coordinate, which shall give the position in a north-and-south direction.

(c) For the Wisconsin coordinate system of 1983 (1986) and the Wisconsin coordinate system of 1983 (1991), the distances are the northing, which shall give the position in a north-and-south direction and the easting, which shall give the position in an east-and-west direction.

(d) Coordinates in all of the systems under sub. (2) shall depend upon and conform to the plane rectangular coordinate values for the monumented points of the national geodetic reference system horizontal control network that are published by the national geodetic survey or by that agency's successor if those values have been computed on the basis of a system under sub. (2).

(7) USE OF TERM RESTRICTED. No person may use the term "Wisconsin coordinate system" on any map, report of a survey or other document unless the coordinates on the document are based on a system under sub. (2).

(8) DESIGNATION. Any person who prepares a plat under this section shall designate on that plat which of the systems under sub. (2) and which of the zones under sub. (3) that person has referenced.

(9) MULTIPLE DESCRIPTIONS. If a document describes a tract of land by means of the coordinates of a system under sub. (2) and by means of a reference to a subdivision, line or corner of the U.S. public land surveys, the description by means of coordinates supplements and is subordinate to the other description.

(10) RIGHT OF LENDERS AND PURCHASERS. A lender or purchaser may require a borrower or seller to provide the description required under s. 236.20.

History: 1979 c. 248 ss. 10, 25 (1); 1993 a. 16, 490; 2001 a. 16.

SUBCHAPTER IV

FINAL PLAT AND DATA

236.20 Final plat. A final plat of subdivided land shall comply with all of the following requirements:

(1) GENERAL REQUIREMENTS. All plats shall be legibly prepared and meet all of the following requirements:

(a) The plat shall have a one-inch margin on all sides. A graphic scale of not more than 100 feet to one inch shall be shown on each sheet showing layout features. When more than one sheet is used for any plat, each sheet shall be numbered consecutively and shall contain a notation giving the total number of sheets in the plat and showing the relation of that sheet to the other sheets and each sheet shall bear the subdivision and county name.

NOTE: Par. (a) is shown as amended eff. 8-1-14 by 2013 Wis. Act 358. Prior to 8-1-14 it reads:

(a) The plat shall have a binding margin 1 1/2 inches wide on the left side, and a one-inch margin on all other sides. A graphic scale of not more than 100 feet to one inch shall be shown on each sheet showing layout features. When more than one sheet is used for any plat, each sheet shall be numbered consecutively and shall contain a notation giving the total number of sheets in the plat and showing the relation of that sheet to the other sheets and each sheet shall bear the subdivision and county name.

(b) For processing under s. 236.12 (6) the original shall be 22 inches wide by 30 inches long and on any material that is capable of clearly legible reproduction.

NOTE: Par. (b) is repealed eff. 8-1-14 by 2013 Wis. Act 358.

(c) For processing under s. 236.12 (2), the original copy of the final plat shall be 22 inches wide by 30 inches long and on any material that is capable of clearly legible reproduction.

(2) MAP AND ENGINEERING INFORMATION. The final plat shall show correctly on its face all of the following:

(a) The exterior boundaries of the land surveyed and divided.

(b) All monuments erected, corners, and other points established in the field in their proper places. The material of which the monuments, corners, or other points are made shall be noted at the representation thereof or by legend, except lot, outlot, and meander corners need not be shown. The legend for metal monuments shall indicate the kind of metal, the outside diameter, length, and weight per lineal foot of the monuments.

(c) The length and bearing of the exterior boundaries, the boundary lines of all blocks, public grounds, streets, and alleys, and all lot lines, except that when the lines in any tier of lots are parallel it shall be sufficient to mark the bearings of the outer lines on one tier. Easements not parallel to a boundary or lot line shall be shown by center line distance, bearing, and width or by easement boundary bearings and distances. Where easement lines are parallel to boundary or lot lines, the boundary or lot line distances and bearings are controlling. Where the exterior boundary lines show bearings or lengths that vary from those recorded in abutting plats or certified surveys there shall be the following note placed along the lines, “recorded as (show recorded bearing or length or both).”

(d) Blocks, if designated, shall be consecutively numbered, or lettered in alphabetical order. The blocks in numbered additions to subdivisions bearing the same name shall be numbered or lettered consecutively through the several additions.

(e) All lots and outlots in each block consecutively numbered within blocks and the subdivision and throughout numbered additions to the subdivision.

(f) The exact width of all easements, streets and alleys.

(g) All shore meander lines for all lakes or navigable streams that are established by the professional land surveyor in accordance with s. 236.15 (1) (d), the distances and bearings thereof, and the distance between the point of intersection of such meander lines with lot lines and the determined or approximated ordinary high water mark.

NOTE: Par. (g) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(g) All lake or stream shore meander lines established by the surveyor in accordance with s. 236.15 (1) (d), the distances and bearings thereof, and the distance between the point of intersection of such meander lines with lot lines and the ordinary high water mark.

(h) The center line of all streets.

(i) A north point properly located thereon identified as referenced to a magnetic, true or other identifiable direction and related to a boundary line of a quarter section, recorded private claim or federal reservation in which the subdivision is located.

(j) The area in square feet of each lot and outlot.

(k) When a street is on a circular curve, the main chords of the right-of-way lines shall be drawn as dotted or dashed lines in their proper places. All curved lines shall show, either on the lines or in an adjoining table, the radius of the circle, the central angle subtended, the chord bearing, the chord length, and the arc length for each segment. The tangent bearing shall be shown for each end of the main chord for all nontangent circular lines. When a circular curve of 30-foot radius or less is used to round off the intersection between 2 straight lines, it shall be tangent to both straight lines. It is sufficient to show on the plat the radius of the curve and the tangent distances from the points of curvature to the point of intersection of the straight lines.

NOTE: Par. (k) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(k) When a street is on a circular curve, the main chords of the right-of-way lines shall be drawn as dotted or dashed lines in their proper places. All curved lines shall show, either on the lines or in an adjoining table, the radius of the circle, the central angle subtended, the chord bearing, the chord length and the

arc length for each segment. The tangent bearing shall be shown for each end of the main chord for all circular lines. When a circular curve of 30-foot radius or less is used to round off the intersection between 2 straight lines, it shall be tangent to both straight lines. It is sufficient to show on the plat the radius of the curve and the tangent distances from the points of curvature to the point of intersection of the straight lines.

(L) When strict compliance with a provision of this section will entail undue or unnecessary difficulty or tend to render the plat or certified survey map more difficult to read, and when the information on the plat or certified survey map is sufficient for the exact retracement of the measurements and bearings or other necessary dimensions, the department or, in 1st class cities, the city engineer may waive such strict compliance.

(3) NAME, LOCATION AND POSITION. The name of the plat shall be printed thereon in prominent letters, and shall not be a duplicate of the name of any plat previously recorded in the same county or municipality. All of the following information relating to the position and location of the subdivision shall be shown on the plat:

(a) The location of the subdivision by government lot, recorded private claim, quarter-quarter section, section, township, range, and county noted immediately under the name given to the subdivision.

(b) The location of the subdivision shall be indicated by bearing and distance from a boundary line of a government lot monumented in the original survey or resurvey of Wisconsin, quarter section, recorded private claim, or federal reservation in which the subdivision is located. The monumentation at the ends of the boundary line shall be described and the bearing and distance between them shown.

NOTE: Par. (b) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(b) The location of the subdivision shall be indicated by bearing and distance from a boundary line of a quarter section, recorded private claim or federal reservation in which the subdivision is located. The monumentation at the ends of the boundary line shall be described and the bearing and distance between them shown.

(c) A small drawing of the section or governmental subdivision of the section in which the subdivision lies with the location of the subdivision indicated thereon or, if approved by the department, a location sketch showing the relationship of the subdivision to existing streets. The drawing or sketch shall be oriented on the sheet in the same direction as the main drawing.

(d) The names of adjoining streets, state highways and subdivisions shown in their proper location underscored by a dotted or dashed line.

(e) Abutting street and state highway lines of adjoining plats shown in their proper location by dotted or dashed lines. The width of these streets and highways shall be given also.

(4) ROADS AND PUBLIC SPACES. (a) The name of each road or street in the plat shall be printed on the plat.

(b) All lands dedicated to public use shall be clearly marked “Dedicated to the Public”.

NOTE: Par. (b) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(b) All lands dedicated to public use except roads and streets shall be clearly marked “Dedicated to the Public”.

(c) All roads or streets shown on the plat which are not dedicated to public use shall be clearly marked “Private Road” or “Private Street” or “Private Way”.

(d) Each lot within the plat must have access to a public street unless otherwise provided by local ordinance.

(5) SITE CONDITIONS AND TOPOGRAPHY. The final plat shall show all of the following:

(a) All existing buildings.

(b) All watercourses, drainage ditches and other existing features pertinent to proper subdivision.

(c) The water elevations of adjoining lakes or navigable streams at the date of the survey and the approximate high water elevations of those lakes or streams. All elevations shall be referred to some permanent established datum plane.

NOTE: Par. (c) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(c) The water elevations of adjoining lakes or streams at the date of the survey and the approximate high and low water elevations of those lakes or streams. All elevations shall be referred to some permanent established datum plane.

(6) PUBLIC TRUST INFORMATION. A final plat of a subdivision, or a certified survey map of land, to which s. 236.16 (4) applies shall show on its face the following statement:

“Any land below the ordinary high water mark of a lake or a navigable stream is subject to the public trust in navigable waters that is established under article IX, section 1, of the state constitution.”

NOTE: Sub. (6) is created eff. 8–1–14 by 2013 Wis. Act 358.

History: 1979 c. 221, 248; 1983 a. 473; 1999 a. 85; 2001 a. 16, 103, 104; 2013 a. 358.

When a strip of land was labeled on a plat “Public Access” that abutted a lake and connected to a public highway, the plat substantially met the statutory requirement of a “clear dedication to the public.” While the dedication did not contain the exact formula found in sub. (4), under *Hunt*, 19 Wis. 2d 113, that is not necessary. *Vande Zande v. Town of Marquette*, 2008 WI App 144, 314 Wis. 2d 143, 758 N.W.2d 187, 07–2354.

The circumstances under which the statutory platting standards set forth in s. 236.16 (1), (2), and (3) and sub. (4) (d) may be waived or varied, with specific reference to the approval of island subdivision plats, are discussed. 62 Atty. Gen. 315.

The extent to which local governments may vary the terms of ss. 236.16 (1) and (2) and 236.20 (4) (d) by ordinance is discussed. 64 Atty. Gen. 175.

A proposed plat may not consist solely of outlots. 66 Atty. Gen. 238.

236.21 Certificates to accompany plat. To entitle a final plat to be recorded, the following certificates lettered or printed legibly with a black durable image or typed legibly with black ribbon shall appear on it:

(1) PROFESSIONAL LAND SURVEYOR’S CERTIFICATE OF COMPLIANCE WITH STATUTE. The certificate of the professional land surveyor who surveyed, divided, and mapped the land giving all of the following information, which shall have the same force and effect as an affidavit:

NOTE: Sub. (1) (intro.) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(1) SURVEYOR’S CERTIFICATE OF COMPLIANCE WITH STATUTE. The certificate of the surveyor who surveyed, divided and mapped the land giving all of the following information, which shall have the same force and effect as an affidavit:

(a) By whose direction the professional land surveyor made the survey, subdivision, and plat of the land described on the plat.

NOTE: Par. (a) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(a) By whose direction the surveyor made the survey, subdivision and plat of the land described on the plat.

(b) 1. Except as provided in subd. 2., a clear and concise description of the land surveyed, divided, and mapped by government lot, recorded private claim, quarter–quarter section, section, township, range, and county and by metes and bounds commencing with a monument at a section or quarter section corner of the quarter section that is not the center of the section, or commencing with a monument at the end of a boundary line of a recorded private claim or federal reservation in which the subdivision is located.

2. If the land is shown in a recorded subdivision plat, recorded addition to a recorded subdivision plat, or recorded certified survey map that has previously been tied to the monumented line of a quarter section, government lot, recorded private claim, or federal reservation in which the land is located, the land shall be described by the subdivision name or certified survey map number and the description of the lot and block thereof.

NOTE: Par. (b) is shown as affected eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(b) A clear and concise description of the land surveyed, divided, and mapped by government lot, recorded private claim, quarter–quarter section, section, township, range, and county and by metes and bounds commencing with a monument at a section or quarter section corner of the quarter section that is not the center of the section, or commencing with a monument at the end of a boundary line of a recorded private claim or federal reservation in which the subdivision is located. If the land is located in a recorded subdivision or recorded addition thereto, the land shall be described by the number or other description of the lot, block or subdivision thereof, that has previously been tied to a corner marked and established by the U.S. public land survey.

(c) A statement that the plat is a correct representation of all the exterior boundaries of the land surveyed and the subdivision of it.

(d) A statement that the professional land surveyor has fully complied with the provisions of this chapter in surveying, dividing, and mapping the land.

NOTE: Par. (d) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(d) A statement that the surveyor has fully complied with the provisions of this chapter in surveying, dividing and mapping the land.

(2) OWNER’S CERTIFICATE. (a) A certificate by the owner of the land in substantially the following form: “As owner I hereby certify that I caused the land described on this plat to be surveyed, divided, mapped and dedicated as represented on the plat. I also certify that this plat is required by s. 236.10 or 236.12 to be submitted to the following for approval or objection: (list of governing bodies required to approve or allowed to object to the plat).” This certificate shall be signed by the owner, the owner’s spouse, and all persons holding an interest in the fee of record or by being in possession and, if the land is mortgaged, by the mortgagee of record. These signatures shall be acknowledged in accordance with s. 706.07.

(b) As a condition to approval of the plat, the municipal, town or county body required by s. 236.12 to approve the plat may require that the owner furnish an abstract of title certified to date of submission for approval or, at the option of the owner, a policy of title insurance or certificate of title from an abstract company for examination in order to ascertain whether all parties in interest have signed the owner’s certificate on the plat.

(3) CERTIFICATE OF TAXES PAID. A certificate of the clerk or treasurer of the municipality or town in which the subdivision lies and a certificate of the treasurer of the county in which the subdivision lies stating that there are no unpaid taxes or unpaid special assessments on any of the lands included in the plat.

History: 1971 c. 41 s. 11; 1975 c. 94 s. 91 (3); 1975 c. 199; 1979 c. 248 ss. 18, 25 (3); 1983 a. 473; 1999 a. 85; 2001 a. 16; 2013 a. 358.

SUBCHAPTER V

RECORDING OF PLATS

236.25 Recording a plat. (1) The subdivider shall have the final plat recorded in the office of the register of deeds of the county in which the subdivision is located.

(2) The register of deeds shall not accept a plat for record unless:

(a) It is a permanent nonfading black image on durable white media that is 22 inches wide by 30 inches long or on other media that is acceptable to the register of deeds, complies with the requirements of s. 59.43 (2m) (b) 4., and bears a department certification of no objection. Seals or signatures reproduced on images complying with this paragraph shall be given the force and effect of original signatures and seals;

NOTE: Par. (a) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(a) It is a permanent nonfading black image on durable white media that is 22 inches wide by 30 inches long, complies with the requirements of s. 59.43 (2m) (b) 4., and bears a department certification of no objection. Seals or signatures reproduced on images complying with this paragraph shall be given the force and effect of original signatures and seals;

(b) The plat is offered for record within 12 months after the date of the last approval of the plat and within 36 months after the first approval;

(c) The plat shows on its face all the certificates and affidavits required by ss. 236.12 (3) and 236.21;

NOTE: Par. (c) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(c) The plat shows on its face all the certificates and affidavits required by ss. 236.21 and 236.12 (4);

(d) The plat shows on its face the approval of all bodies required by s. 236.10 to approve or the certificate of the clerk that the plat is deemed approved under s. 236.11 (2) (a).

NOTE: Par. (d) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(d) The plat shows on its face the approval of all bodies required by s. 236.10 to approve or the certificate of the clerk that the plat is deemed approved under s. 236.11 (2).

(3) The recording of a plat which is not entitled to be recorded under sub. (2) shall not of itself affect the title of a purchaser of a lot covered by the plat, the donation or dedication of land made by the plat, or the validity of a description of land by reference to the plat, but it allows the purchaser a right to rescind the sale under s. 236.31.

(4) Every final plat entitled to be recorded under this section shall be bound or filed by the register of deeds into properly indexed volumes. Any facsimile of the original whole record, made and prepared by the register of deeds or under his or her direction shall be deemed to be a true copy of the final plat.

(5) The register of deeds may furnish certified copies or other accurate reproductions of any plat on record in his or her office to surveyors, engineers or other interested parties at cost.

History: 1979 c. 248 ss. 19, 25 (5); 1983 a. 473; 1997 a. 332; 2001 a. 16; 2005 a. 9, 41; 2009 a. 376; 2013 a. 358.

236.26 Notification to approving authorities. When a final plat is recorded, the register of deeds shall notify all authorities required by s. 236.10 to approve or permitted by s. 236.12 to object to the plat by mailing to the clerk of each authority written notice thereof.

History: 1981 c. 314.

236.27 Filing of copy of plat. The subdivider shall file a true copy of the final plat as a public record with the clerk of the municipality or town in which the subdivision is located.

236.28 Description of lots in recorded plat. When a subdivision plat has been recorded in accordance with s. 236.25, the lots in that plat shall be described by the name of the plat and the lot and block in the plat for all purposes, including those of assessment, taxation, devise, descent and conveyance as defined in s. 706.01 (4). Any conveyance containing such a description shall be construed to convey to the grantee all portions of vacated streets and alleys abutting such lots and belonging to the grantor unless the grantor by appropriate language indicates an intention to reserve or except them from the conveyance.

History: 1971 c. 41 s. 11; 1983 a. 189 s. 329 (26).

One who buys lots with reference to a plat that shows certain ways in common, is entitled to the use, with the other lot owners, of the ways in common. Lot owners in the same subdivision whose lots are purchased with reference to the same plat are estopped to deny the use in common with other lot owners in the subdivision. The recording of the plat and conveyance of lots by the owner with reference to the plat constitutes the granting of an easement to the purchasers of lots within the subdivision to ingress and egress over private roadways in common with other lot owners, and the original proprietors and their grantees are estopped to deny the legal existence of such rights of ingress and egress. *Schimmels v. Noordover*, 2006 WI App 7, 288 Wis. 2d 790, 709 N.W.2d 466, 04–2794.

236.29 Dedications. (1) EFFECT OF RECORDING ON DEDICATIONS. When any plat is certified, signed, acknowledged and recorded as prescribed in this chapter, every donation or grant to the public or any person, society or corporation marked or noted as such on said plat shall be deemed a sufficient conveyance to vest the fee simple of all parcels of land so marked or noted, and shall be considered a general warranty against such donors, their heirs and assigns to the said donees for their use for the purposes therein expressed and no other; and the land intended for the streets, alleys, ways, commons or other public uses as designated on said plat shall be held by the town, city or village in which such plat is situated in trust to and for such uses and purposes.

(2) DEDICATIONS TO PUBLIC ACCEPTED BY APPROVAL. When a final plat of a subdivision has been approved by the governing body of the municipality or town in which the subdivision is located and all other required approvals are obtained and the plat is recorded, that approval constitutes acceptance for the purpose

designated on the plat of all lands shown on the plat as dedicated to the public including street dedications.

(3) MUNICIPALITY MAY LEASE TO A SUBDIVISION ASSOCIATION LAND ACCEPTED FOR PARK. The municipality or town in which the accepted subdivision is located may lease to a subdivision association any part of the subdivision intended for park purposes where such part has never been improved nor work done thereon nor funds expended therefor by the governing body, but such lease shall not exceed 10 years and shall only be for park improvement purposes.

(4) ACCEPTANCE OF STORM WATER FACILITIES DEDICATED TO PUBLIC. Notwithstanding sub. (2), unless an earlier date is agreed to by the municipality, the dedication of any lands within a plat of a subdivision located within a municipality that are intended to include a permanent man-made facility designed for reducing the quantity or quality impacts of storm water runoff from more than one lot and that are shown on the plat as “Dedicated to the Public for Storm Water Management Purposes” is not accepted until at least 80 percent of the lots in the subdivision have been sold and a professional engineer registered under ch. 443 has certified to the municipality that all of the following conditions are met with respect to the facility:

(a) The facility is functioning properly in accordance with the plans and specifications of the municipality.

(b) Any required plantings are adequate, well-established, and reasonably free of invasive species.

(c) Any necessary maintenance, including removal of construction sediment, has been properly performed.

History: 2007 a. 44.

A complaint against plat subdividers by a city set forth a cause of action with respect to costs incurred by the city in moving a tower and acquiring a right-of-way when the plat of a street dedicated as part of a subdivision did not show the existence, location, or easement of a power company’s transmission line located in the area platted as a street. *Kenosha v. Ghysels*, 46 Wis. 2d 418, 175 N.W.2d 223 (1970).

236.292 Certain restrictions void. (1) All restrictions on platted land that interfere with the development of the ice age trail under s. 23.17 are void.

(2) All restrictions on platted land that prevent or unduly restrict the construction and operation of solar energy systems, as defined in s. 13.48 (2) (h) 1. g., or a wind energy system, as defined in s. 66.0403 (1) (m), are void.

History: 1991 a. 39; 1993 a. 414; 1999 a. 150 s. 672.

236.293 Restrictions for public benefit. Any restriction placed on platted land by covenant, grant of easement or in any other manner, which was required by a public body or which names a public body or public utility as grantee, promisee or beneficiary, vests in the public body or public utility the right to enforce the restriction at law or in equity against anyone who has or acquires an interest in the land subject to the restriction. The restriction may be released or waived in writing by the public body or public utility having the right of enforcement.

History: 1979 c. 248.

The hidden dangers of placing easements on plats. *Ishikawa*. WBB Apr. 1988.

236.295 Correction instruments. (1) Correction instruments shall be recorded in the office of the register of deeds in the county in which the plat or certified survey map is recorded and may include any of the following:

(a) Affidavits to correct distances, angles, directions, bearings, chords, block or lot numbers, street names, or other details shown on a recorded plat or certified survey map. A correction instrument may not be used to reconfigure lots or outlots.

(b) Ratifications of a recorded plat or certified survey map signed and acknowledged in accordance with s. 706.07.

(c) Certificates of owners and mortgagees of record at time of recording.

(2) (a) Each affidavit in sub. (1) (a) correcting a plat or certified survey map that changes areas dedicated to the public or restrictions for the public benefit must be approved prior to recording by the governing body of the municipality or town in

which the subdivision is located. The register of deeds shall note on the plat or certified survey map a reference to the page and volume in which the affidavit or instrument is recorded. The record of the affidavit or instrument, or a certified copy of the record, is prima facie evidence of the facts stated in the affidavit or instrument.

(b) Notwithstanding par. (a), in a county that maintains a tract index pursuant to s. 59.43 (12m), a correction may be made by reference in the tract index to the plat or certified survey map.

History: 1971 c. 41 s. 11; 1979 c. 248; 1999 a. 85; 2001 a. 16; 2005 a. 41.

This section does not apply to assessors plats. 61 Atty. Gen. 25.

SUBCHAPTER VI

PENALTIES AND REMEDIES

236.30 Forfeiture for improper recording. Any person causing his or her final plat to be recorded without submitting such plat for approval as herein required, or who shall fail to present the same for record within the time prescribed after approval, shall forfeit not less than \$100, nor more than \$1,000 to each municipality, town or county wherein such final plat should have been submitted.

History: 1979 c. 248 s. 25 (5).

236.31 Penalties and remedies for transfer of lots without recorded plat. (1) Any subdivider or the subdivider's agent who offers or contracts to convey, or conveys, any subdivision as defined in s. 236.02 (12) or lot or parcel which lies in a subdivision as defined in s. 236.02 (12) knowing that the final plat thereof has not been recorded may be fined not more than \$500 or imprisoned not more than 6 months or both; except where the preliminary or final plat of the subdivision has been filed for approval with the town or municipality in which the subdivision lies, an offer or contract to convey may be made if that offer or contract states on its face that it is contingent upon approval of the final plat and shall be void if such plat is not approved.

(2) Any municipality, town, county, or state agency with subdivision review authority may institute injunction or other appropriate action or proceeding to enjoin a violation of any provision of this chapter, an ordinance, or a rule adopted under this chapter. Any such municipality, town, or county may impose a forfeiture for violation of any such ordinance, and order an assessor's plat to be made under s. 70.27 at the expense of the subdivider or the subdivider's agent when a subdivision is created under s. 236.02 (12) (am) 2. by successive divisions.

(3) Any conveyance or contract to convey made by the subdivider or the subdivider's agent contrary to this section or involving a plat which was not entitled to be recorded under s. 236.25 (2) shall be voidable at the option of the purchaser or person contracting to purchase, his or her heirs, personal representative or trustee in insolvency or bankruptcy within one year after the execution of the document or contract; but such document or contract shall be binding on the vendor, the subdivider's assignee, heir or devisee.

History: 1979 c. 248 s. 25 (6); 1979 c. 355, 357; 1983 a. 189 s. 329 (23); 2013 a. 272.

Sub. (3) does not allow a purchaser to force a seller to violate sub. (1) and become subject to criminal penalties by doing so. *Gordie Boucher Lincoln–Mercury v. J & H Landfill*, 172 Wis. 2d 333, 493 N.W.2d 375 (Ct. App. 1992).

Certified survey maps under s. 236.34 cannot substitute for subdivision surveys under s. 236.02 (8) [now sub. (12)]. Penalties under this section apply to improper use of certified surveys. 67 Atty. Gen. 294.

236.32 Penalty for disturbing or not placing monuments. (1m) Any of the following may be fined not more than \$250 or imprisoned not more than one year in county jail for any of the following violations:

(a) Any owner, professional land surveyor, or subdivider who fails to place monuments as prescribed in this chapter when subdividing land.

(b) Any person who knowingly removes or disturbs any such monument without the permission of the governing body of the

municipality or county in which the subdivision is located or fails to report such disturbance or removal to it.

(c) Any person who fails to replace properly any monuments that have been removed or disturbed when ordered to do so by the governing body of the municipality or county in which the subdivision is located.

(2m) Each monument to which a violation under sub. (1m) applies constitutes a separate violation.

NOTE: This section is shown as affected eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

236.32 Penalty for disturbing or not placing monuments. Any of the following may be fined not more than \$250 or imprisoned not more than one year in county jail:

(1) Any owner, surveyor or subdivider who fails to place monuments as prescribed in this chapter when subdividing land.

(2) Any person who knowingly removes or disturbs any such monument without the permission of the governing body of the municipality or county in which the subdivision is located or fails to report such disturbance or removal to it.

(3) Fails to replace properly any monuments which have been removed or disturbed when ordered to do so by the governing body of the municipality or county in which the subdivision is located.

History: 2013 a. 358.

236.33 Division of land into small parcels in cities of the first class prohibited; penalty. It shall be unlawful to divide or subdivide and convey by deed or otherwise any lot in any recorded plat or any parcel or tract of unplatted land in any city of

the first class so as to create a lot or parcel of land which does not have street or public highway frontage of at least 4 feet or an easement to a street or public highway of a minimum width of 4 feet but this section shall not apply to conveyances by tax deed or through the exercise of eminent domain or to such reductions in size or area as are caused by the taking of property for public purposes. This section shall not prohibit the dividing or subdividing of any lot or parcel of land in any such city where the divided or subdivided parts thereof which become joined in ownership with any other lot or parcel of land comply with the requirements of this section, if the remaining portion of such lot or parcel so divided or subdivided complies. Any person who shall make such conveyance or procure such a sale or act as agent in procuring such sale or conveyance shall be fined not less than \$100 or more than \$500 or imprisoned not more than 6 months or both.

236.335 Prohibited subdividing; forfeit. No lot or parcel in a recorded plat may be divided, or used if so divided, for purposes of sale or building development if the resulting lots or parcels do not conform to this chapter, to any applicable ordinance of the approving authority or to the rules of the department of safety and professional services under s. 236.13. Any person making or causing such a division to be made shall forfeit not less than \$100 nor more than \$500 to the approving authority, or to the state if there is a violation of this chapter or the rules of the department of safety and professional services.

History: 1979 c. 221; 1995 a. 27 s. 9130 (4); 1997 a. 3; 2007 a. 20; 2011 a. 32.

The circumstances under which lots in a recorded subdivision may be legally divided without replatting are discussed. 64 Atty. Gen. 80.

236.34 Recording of certified survey map; use in changing boundaries; use in conveyancing.

(1) DESCRIPTION AND USES. (am) A certified survey map of not more than 4 parcels of land, or such greater maximum number specified by an ordinance enacted or resolution adopted under par. (ar) 1., consisting of lots or outlots may be recorded in the office of the register of deeds of the county in which the land is situated.

(ar) 1. Notwithstanding s. 236.45 (2) (ac) and (am), a municipality, town, or county that has established a planning agency may enact an ordinance or adopt a resolution that specifies a maximum number of parcels that is greater than 4 into which land that is situated in the municipality, town, or county and zoned for commercial, industrial, or mixed-use development may be divided by certified survey map.

2. Before the enactment of an ordinance or the adoption of a resolution under subd. 1., the governing body of the municipality, town, or county shall receive the recommendation of its planning

agency and shall hold a public hearing on the ordinance or resolution. Notice of the hearing shall be given by publication of a class 2 notice, under ch. 985. Any ordinance enacted or resolution adopted shall be published in a form suitable for public distribution.

3. Notwithstanding subd. 1., an ordinance enacted or resolution adopted under subd. 1. by a municipality may specify the number of parcels into which land within the extraterritorial plat approval jurisdiction of the municipality, as well as land within the corporate limits of the municipality, may be divided by certified survey map if the municipality has the right to approve or object to plats within that area under s. 236.10 (1) (b) 2. and (2).

4. If more than one governing body has authority to enact an ordinance or adopt a resolution under subd. 1. with respect to the same land and those governing bodies enact ordinances or adopt resolutions with conflicting provisions, any certified survey map affecting that land must comply with the most restrictive provisions.

(bm) A certified survey map may be used to change the boundaries of lots and outlots within a recorded plat, recorded assessor's plat under s. 70.27, or recorded certified survey map if the reconfiguration does not result in a subdivision or violate a local ordinance or resolution.

(cm) A certified survey map may not alter areas previously dedicated to the public or a restriction placed on the platted land by covenant, by grant of an easement, or by any other manner.

(dm) A certified survey map that crosses the exterior boundary of a recorded plat or assessor's plat shall apply to the reconfiguration of not more than 4 parcels, or such greater maximum number specified by an ordinance enacted or resolution adopted under par. (ar) 1., by a single owner, or if no additional parcels are created. Such a certified survey map must be approved in the same manner as a final plat of a subdivision must be approved under s. 236.10, must be monumented in accordance with s. 236.15 (1), and shall contain owners' and mortgagees' certificates that are in substantially the same form as required under s. 236.21 (2) (a).

(1m) PREPARATION. A certified survey must meet the following requirements:

(a) The survey shall be performed and the map prepared by a professional land surveyor. The error in the latitude and departure closure of the survey may not exceed the ratio of one in 3,000.

NOTE: Par. (a) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(a) The survey shall be performed and the map prepared by a land surveyor registered in this state. The error in the latitude and departure closure of the survey may not exceed the ratio of one in 3,000.

(b) All corners shall be monumented in accordance with s. 236.15 (1) (ac), (c), (d), and (g).

NOTE: Par. (b) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(b) All corners shall be monumented in accordance with s. 236.15 (1) (c), (d), and (g).

(c) The map shall be prepared in accordance with ss. 236.16 (4) and 236.20 (2) (a), (b), (c), (e), (f), (g), (h), (i), (j), (k), and (L) and (3) (b), (d), and (e) at a graphic scale of not more than 500 feet to an inch, which shall be shown on each sheet showing layout features. The map shall be prepared with a binding margin 1.5 inches wide and a 0.5 inch margin on all other sides on durable white media that is 8 1/2 inches wide by 14 inches long, or on other media that is acceptable to the register of deeds, with a permanent nonfading black image. When more than one sheet is used for any map, each sheet shall be numbered consecutively and shall contain a notation giving the total number of sheets in the map and showing the relationship of that sheet to the other sheets. "CERTIFIED SURVEY MAP" shall be printed on the map in prominent letters with the location of the land by government lot, recorded private claim, quarter-quarter section, section, township, range and county noted. Seals or signatures reproduced on images complying with this paragraph shall be given the force and effect of original signatures and seals.

NOTE: Par. (c) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(c) The map shall be prepared in accordance with s. 236.20 (2) (a), (b), (c), (e), (f), (g), (h), (i), (j), (k), and (L) and (3) (b), (d), and (e) at a graphic scale of not more than 500 feet to an inch, which shall be shown on each sheet showing layout features. The map shall be prepared with a binding margin 1.5 inches wide and a 0.5 inch margin on all other sides on durable white media that is 8 1/2 inches wide by 14 inches long with a permanent nonfading black image. When more than one sheet is used for any map, each sheet shall be numbered consecutively and shall contain a notation giving the total number of sheets in the map and showing the relationship of that sheet to the other sheets. "CERTIFIED SURVEY MAP" shall be printed on the map in prominent letters with the location of the land by government lot, recorded private claim, quarter-quarter section, section, township, range and county noted. Seals or signatures reproduced on images complying with this paragraph shall be given the force and effect of original signatures and seals.

(d) The map shall include a certificate of the professional land surveyor who surveyed, divided, and mapped the land which has the same force and effect as an affidavit and which gives all of the following information:

1. By whose direction the professional land surveyor made the survey, division, and map of the land described on the certified survey map.

2. A clear and concise description of the land surveyed, divided, and mapped by government lot, recorded private claim, quarter-quarter section, section, township, range and county; and by metes and bounds commencing with a monument at a section or quarter section corner of the quarter section that is not the center of a section, or commencing with a monument at the end of a boundary line of a recorded private claim or federal reservation in which the land is located. If, however, the land is shown in a recorded subdivision plat, recorded addition to a recorded subdivision plat, or recorded certified survey map that has previously been tied to the monumented line of a quarter section, government lot, recorded private claim, or federal reservation in which the land is located, the land shall be described by the subdivision name or certified survey map number and the description of the lot and block thereof.

3. A statement that the map is a correct representation of all of the exterior boundaries of the land surveyed and the division of that land.

4. A statement that the professional land surveyor has fully complied with the provisions of this section in surveying, dividing, and mapping the land.

NOTE: Par. (d) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(d) The map shall include a certificate of the surveyor who surveyed, divided and mapped the land which has the same force and effect as an affidavit and which gives all of the following information:

1. By whose direction the surveyor made the survey, division and map of the land described on the certified survey map.

2. A clear and concise description of the land surveyed, divided, and mapped by government lot, recorded private claim, quarter-quarter section, section, township, range and county; and by metes and bounds commencing with a monument at a section or quarter section corner of the quarter section that is not the center of a section, or commencing with a monument at the end of a boundary line of a recorded private claim or federal reservation in which the land is located; or if the land is located in a recorded subdivision or recorded addition to a recorded subdivision, then by the number or other description of the lot, block or subdivision, which has previously been tied to a corner marked and established by the U.S. public land survey.

3. A statement that the map is a correct representation of all of the exterior boundaries of the land surveyed and the division of that land.

4. A statement that the surveyor has fully complied with the provisions of this section in surveying, dividing and mapping the land.

(e) A certified survey map may be used for dedication of streets and other public areas, and for granting easements to the public or any person, society, or corporation marked or noted on the map, when owners' certificates and mortgagees' certificates which are in substantially the same form as required by s. 236.21 (2) (a) have been executed and the city council or village or town board involved have approved such dedication or grant. Approval and recording of such certified surveys shall have the force and effect provided by s. 236.29.

NOTE: Par. (e) is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

(e) A certified survey map may be used for dedication of streets and other public areas when owners' certificates and mortgagees' certificates which are in substantially the same form as required by s. 236.21 (2) (a) have been executed and the city council or village or town board involved have approved such dedication. Approval and recording of such certified surveys shall have the force and effect provided by s. 236.29.

(em) 1. Except as provided in subd. 2., if the certified survey map divides land into more than 4 parcels in accordance with an ordinance enacted or resolution adopted under sub. (1) (ar) 1., notwithstanding pars. (b) and (c), the survey and the map shall comply with ss. 236.15, 236.20, and 236.21 (1) and (2) and the map shall be submitted to the department of administration for a review of the compliance with those sections.

2. Subdivision 1. does not apply if any of the following applies:

a. The certified survey map is only changing the boundaries of lots and outlots in a recorded plat, recorded assessor's plat under s. 70.27, or recorded certified survey map, regardless of whether the certified survey map crosses the exterior boundary of the recorded plat, assessor's plat, or certified survey map.

b. The certified survey map is dividing land that is wholly situated in a 1st class city.

c. The certified survey map is dividing unincorporated land in a county with a population of 500,000 or more.

(er) 1. Except as provided in subd. 2., the certified survey map and survey shall comply with the rules of the department of transportation described in s. 236.13 (1) (e) and the map shall be submitted to the department of transportation for a review of the compliance with those rules if all of the following apply:

a. The certified survey map divides land into more than 4 parcels in accordance with an ordinance enacted or resolution adopted under sub. (1) (ar) 1.

b. The certified survey map is changing the external boundary of a recorded plat, recorded assessor's plat, or recorded certified survey map.

c. The certified survey map or recorded plat, recorded assessor's plat, or recorded certified survey map shows lots that abut or adjoin a state trunk highway or connecting highway.

2. Subdivision 1. does not apply if any of the following applies:

a. The certified survey map is dividing land that is wholly situated in a 1st class city.

b. The certified survey map is dividing unincorporated land in a county with a population of 500,000 or more.

(f) Within 90 days of submitting a certified survey map for approval, the approving authority, or its agent authorized to approve certified survey maps, shall take action to approve, approve conditionally, or reject the certified survey map and shall state in writing any conditions of approval or reasons for rejection, unless the time is extended by agreement with the subdivider. Failure of the approving authority or its agent to act within the 90 days, or any extension of that period, constitutes an approval of the certified survey map and, upon demand, a certificate to that effect shall be made on the face of the map by the clerk of the authority that has failed to act.

(2) RECORDING. (a) Certified survey maps prepared in accordance with subs. (1) and (1m) shall be numbered consecutively by the register of deeds and shall be recorded in a bound volume to be kept in the register of deeds' office, known as the "Certified Survey Maps of ... County".

(b) If the certified survey map is approved by a local unit of government, the register of deeds may not accept the certified survey map for record unless all of the following apply:

1. The certified survey map is offered for record within 12 months after the date of the last approval of the map and within 36 months after the date of the first approval of the map.

NOTE: Subd. 1. is shown as amended eff. 8–1–14 by 2013 Wis. Act 358. Prior to 8–1–14 it reads:

1. The certified survey map is offered for record within 6 months after the date of the last approval of the map and within 24 months after the first approval of the map.

2. The certified survey map shows on its face all of the certificates and affidavits required under subs. (1) and (1m).

(3) USE IN CONVEYANCING. When a certified survey map has been recorded in accordance with this section, the parcels of land in the map shall be, for all purposes, including assessment, taxation, devise, descent and conveyance, as defined in s. 706.01 (4), described by reference to the number of the survey, lot or outlot number, the volume and page where recorded, and the name of the county.

(4) VACATION. A certified survey map may be vacated by the circuit court of the county in which the parcels of land are located in the same manner and with like effect as provided in ss. 236.40 to 236.44, except that application for vacation of the certified survey map may be made by any of the following:

(a) The owner of any lot or outlot in the land that is the subject of the certified survey map.

(b) The county board if the county has acquired an interest by tax deed in any lot or outlot in the land that is the subject of the certified survey map.

NOTE: Sub. (4) is created eff. 8–1–14 by 2013 Wis. Act 358.

History: 1979 c. 248 ss. 22, 25 (3); 1983 a. 189 s. 329 (26); 1983 a. 473; 1987 a. 390; 1997 a. 99; 1999 a. 96; 2001 a. 16; 2005 a. 9, 41; 2013 a. 272, 358.

Sub. (2) requires that certified survey maps be numbered consecutively without dependent reference to ownership, developer or surveyor. 61 Atty. Gen. 34.

Certified survey maps are corrected by recording corrected survey maps. 66 Atty. Gen. 90.

Certified survey maps under this section cannot substitute for subdivision surveys under s. 236.02 (8) [now sub. (12)]. Penalties under s. 236.31 apply to improper use of certified surveys. 67 Atty. Gen. 294.

SUBCHAPTER VII

SUPPLEMENTAL PROVISIONS

236.35 Sale of lands abutting on private way outside corporate limits of municipality. (1) No person shall sell any parcel of land of one acre or less in size, located outside the corporate limits of a municipality, if it abuts on a road which has not been accepted as a public road unless the seller informs the purchaser in writing of the fact that the road is not a public road and is not required to be maintained by the town or county.

(2) Any person violating this section may be fined not more than \$200 or imprisoned not more than 30 days or both.

SUBCHAPTER VIII

VACATING AND ALTERING PLATS

236.36 Replats. Except as provided in s. 70.27 (1), replat of all or any part of a recorded subdivision, if it alters areas dedicated to the public, may not be made or recorded except after proper court action, in the county in which the subdivision is located, has been taken to vacate the original plat or the specific part thereof.

A recorded subdivision may be replated under this section without undertaking the court proceedings set forth in ss. 236.40, 236.41, and 236.42 if the replat complies with the requirements of ch. 236 applicable to original plats and does not alter areas dedicated to the public. 58 Atty. Gen. 145.

A replat of a recorded subdivision must comply with the formal platting requirements of ch. 236 relating to new subdivision plats, including those relating to the survey, approval, and recording. 63 Atty. Gen. 193.

This section permits the replat of a part of a previously recorded subdivision plat, without circuit court action, if the only areas dedicated to the public in that portion of the original subdivision being replated were discontinued streets fully and properly vacated under s. 66.296 [now s. 66.1003]. 63 Atty. Gen. 210.

The circumstances under which lots in a recorded subdivision may be legally divided without replating are discussed. 64 Atty. Gen. 80.

Chapter 236 does not require a replat when the division of a lot or redivision of more than one lot does not meet the definition of a "subdivision" under this section. 67 Atty. Gen. 121.

236.40 Who may apply for vacation of plat. Any of the following may apply to the circuit court for the county in which a subdivision is located for the vacation or alteration of all or part of the recorded plat of that subdivision:

(1) The owner of the subdivision or of any lot in the subdivision.

(2) The county board if the county has acquired an interest in the subdivision or in any lot in the subdivision by tax deed.

236.41 How notice given. Notice of the application for the vacation or alteration of the plat shall be given at least 3 weeks before the application:

(1) By posting a written notice thereof in at least 2 of the most public places in the county; and

(2) By publication of a copy of the notice as a class 3 notice, under ch. 985; and

(3) By service of the notice in the manner required for service of a summons in the circuit court on the municipality or town in which the subdivision is located, and if it is located in a county having a population of 500,000 or over, on the county; and

(4) By mailing a copy of the notice to the owners of record of all the lots in the subdivision or the part of the subdivision proposed to be vacated or altered at their last-known address.

The provisions of s. 236.41 relating to vacation of streets are inapplicable to assessors' plats under s. 70.27. Once properly filed and recorded an assessor's plat becomes the operative document of record, and only sections specified in s. 236.03 (2) apply to assessor's plats. *Schaetz v. Town of Scott*, 222 Wis. 2d 90, 585 N.W.2d 889 (Ct. App. 1998), 98–0841.

236.42 Hearing and order. (1) After requiring proof that the notices required by s. 236.41 have been given and after hearing all interested parties, the court may in its discretion grant an order vacating or altering the plat or any part thereof except:

(a) The court shall not vacate any alleys immediately in the rear of lots fronting on county trunk highways without the prior approval of the county board or on state trunk highways without the prior approval of the department of transportation.

(b) The court shall not vacate any parts of the plat which have been dedicated to and accepted by the public for public use except as provided in s. 236.43.

(2) The vacation or alteration of a plat shall not affect:

(a) Any restriction under s. 236.293, unless the public body having the right to enforce the restriction has in writing released or waived such restriction.

(b) Any restrictive covenant applying to any of the platted land.

History: 1977 c. 29 s. 1654 (8) (c).

236.43 Vacation or alteration of areas dedicated to the public. Parts of a plat dedicated to and accepted by the public for public use may be vacated or altered as follows:

(1) The court may vacate streets, roads or other public ways on a plat if:

(a) The plat was recorded more than 40 years previous to the filing of the application for vacation or alteration; and

(b) During all that period the areas dedicated for streets, roads or other public ways were not improved as streets, roads or other public ways; and

(c) Those areas are not necessary to reach other platted property; and

(d) All the owners of all the land in the plat or part thereof sought to be vacated and the governing body of the city, village or town in which the street, road or other public way is located have joined in the application for vacation.

(2) The court may vacate land platted as a public square upon the application of the municipality or town in which the dedicated land is located if:

(a) The plat was recorded more than 40 years previous to the filing of the application for vacation or alteration; and

(b) The land was never in fact developed or utilized by the municipality or town as a public square.

(3) The court may vacate land, in a city, county, village or town, platted as a public park or playground upon the application of the local legislative body of such city, county, village or town where the land has never been developed by said city, county, village or town as a public park or playground.

(4) When the plat is being vacated or altered in any 2nd, 3rd or 4th class city or in any village or town which includes a street, road, alley or public walkway, said street, road, alley or public walkway may be vacated or altered by the circuit court proceeding under ss. 236.41 and 236.42 upon the following conditions:

(a) A resolution is passed by the governing body requesting such vacation or alteration.

(b) The owners of all frontage of the lots and lands abutting on the portion sought to be vacated or altered request in writing that such action be taken.

History: 1993 a. 246; 1997 a. 172; 2003 a. 286.

Cross-reference: See s. 66.1003 for other provisions for vacating streets.

Although dedicated as a street, an improvement of land as another public way may meet the requirements of sub. (1) (b). A walkway cleared and improved to be conducive to pedestrian traffic is a public way improved in accordance with sub. (1) (b). *Application of K.G.R. Partnership*, 187 Wis. 2d 375, 523 N.W.2d 120 (Ct. App. 1994).

A municipality is not an owner under sub. (1) (d). *Closser v. Town of Harding*, 212 Wis. 2d 561, 569 N.W.2d 338 (Ct. App. 1997), 96–3086.

Isolated improvements to provide for a scenic outlook were not improvements as a street, road, or public way under sub. (1). *Closser v. Town of Harding*, 212 Wis. 2d 561, 569 N.W.2d 338 (Ct. App. 1997), 96–3086.

1997 Wis. Act 172 made several things clear: 1) a local government has no obligation to improve a lake or stream access, regardless of when that access was created; 2) a lake or stream access may not be discontinued under s. 80.32 [now s. 82.19]; and 3) a lake or stream access may be vacated under this section only, and only if the governing municipality agrees. *Vande Zande v. Town of Marquette*, 2008 WI App 144, 314 Wis. 2d 143, 758 N.W.2d 187, 07–2354.

236.44 Recording order. The applicant for the vacation or alteration shall record in the office of the register of deeds the order vacating or altering the plat together with the plat showing the part vacated if only part of the plat is vacated or the altered plat if the plat is altered.

236.445 Discontinuance of streets by county board.

Any county board may alter or discontinue any street, slip or alley in any recorded plat in any town in such county, not within any city or village, in the same manner and with like effect as provided in s. 66.1003.

History: 1999 a. 150 s. 672.

SUBCHAPTER IX

SUBDIVISION REGULATION AND REGIONAL PLANS

236.45 Local subdivision regulation. (1) **DECLARATION OF LEGISLATIVE INTENT.** The purpose of this section is to promote the public health, safety and general welfare of the community and the regulations authorized to be made are designed to lessen congestion in the streets and highways; to further the orderly layout and use of land; to secure safety from fire, panic and other dangers; to provide adequate light and air, including access to sunlight for solar collectors and to wind for wind energy systems; to prevent the overcrowding of land; to avoid undue concentration of population; to facilitate adequate provision for transportation, water, sewerage, schools, parks, playgrounds and other public requirements; to facilitate the further resubdivision of larger tracts into smaller parcels of land. The regulations provided for by this section shall be made with reasonable consideration, among other things, of the character of the municipality, town or county with a view of conserving the value of the buildings placed upon land, providing the best possible environment for human habitation, and for encouraging the most appropriate use of land throughout the municipality, town or county.

(2) **DELEGATION OF POWER.** (ac) To accomplish the purposes listed in sub. (1), any municipality, town or county that has estab-

lished a planning agency may enact ordinances governing the subdivision or other division of land that are more restrictive than the provisions of this chapter, except that no ordinance may modify in a more restrictive way time limits, deadlines, notice requirements, or other provisions of this chapter that provide protections for a subdivider.

(am) Ordinances under par. (ac) may include provisions regulating divisions of land into parcels larger than 1 1/2 acres or divisions of land into less than 5 parcels, and may prohibit the division of land in areas where such prohibition will carry out the purposes of this section. Such ordinances shall make applicable to such divisions all of the provisions of this chapter, or may provide other surveying, monumenting, mapping and approving requirements for such division. The governing body of the municipality, town, or county shall require that a plat of such division be recorded with the register of deeds and kept in a book provided for that purpose. “COUNTY PLAT,” “MUNICIPAL PLAT,” or “TOWN PLAT” shall be printed on the map in prominent letters with the location of the land by government lot, recorded private claim, quarter-quarter section, section, township, range, and county noted. When so recorded, the lots included in the plat shall be described by reference to “COUNTY PLAT,” “MUNICIPAL PLAT,” or “TOWN PLAT,” the name of the plat and the lot and block in the plat, for all purposes, including those of assessment, taxation, devise, descent, and conveyance as defined in s. 706.01 (4). Such ordinance, insofar as it may apply to divisions of less than 5 parcels, shall not apply to:

1. Transfers of interests in land by will or pursuant to court order;
2. Leases for a term not to exceed 10 years, mortgages or easements;
3. The sale or exchange of parcels of land between owners of adjoining property if additional lots are not thereby created and the lots resulting are not reduced below the minimum sizes required by this chapter or other applicable laws or ordinances;
4. Such other divisions exempted by such ordinances.

(b) This section and any ordinance adopted pursuant thereto shall be liberally construed in favor of the municipality, town or county and shall not be deemed a limitation or repeal of any requirement or power granted or appearing in this chapter or elsewhere, relating to the subdivision of lands.

(3) AREAS IN WHICH SUBDIVISION ORDINANCES APPLY. (a) An ordinance adopted hereunder by a municipality may regulate the division or subdivision of land within the extraterritorial plat approval jurisdiction of the municipality as well as land within the corporate limits of the municipality if it has the right to approve or object to plats within that area under s. 236.10 (1) (b) 2. and (2).

(b) Notwithstanding par. (a) and subs. (1) and (2), a municipality may not deny approval of a plat or certified survey map under this section or s. 236.10 or 236.13 on the basis of the proposed use of land within the extraterritorial plat approval jurisdiction of the municipality, unless the denial is based on a plan or regulations, or amendments thereto, adopted by the governing body of the municipality under s. 62.23 (7a) (c).

(4) PROCEDURE. Before adoption of a subdivision ordinance or any amendments thereto the governing body shall receive the recommendation of its planning agency and shall hold a public hearing thereon. Notice of the hearing shall be given by publication of a class 2 notice, under ch. 985. Any ordinance adopted shall be published in form suitable for public distribution.

(5) REGULATION OF FEDERAL SURPLUS LAND. With respect to any surplus lands in excess of 500 acres in area, except the Bong air base in Kenosha County, sold in this state by the federal government for private development, the department, in accordance with the procedure specified in ch. 227, may regulate the subdivision or other division of such federal surplus land in any of the ways and with the same powers authorized hereunder for municipalities, towns or counties. Before promulgating such rules, the

department shall first receive the recommendations of any committee appointed for that purpose by the governor.

(6) REQUIREMENTS FOR APPROVAL CONDITIONS. (ac) In this subsection, “improvement of land for public parks” means grading, landscaping, installation of utilities, construction of sidewalks, installation of playground equipment, and construction or installation of restroom facilities on land intended for public park purposes.

(am) Notwithstanding subs. (1) and (2) (ac), a municipality, town, or county may not, as a condition of approval under this chapter, impose any fees or other charges to fund the acquisition or improvement of land, infrastructure, or other real or personal property, except that a municipality or town may impose a fee or other charge to fund the acquisition or initial improvement of land for public parks.

(b) Any land dedication, easement, or other public improvement or fee for the acquisition or initial improvement of land for a public park that is required by a municipality, town, or county as a condition of approval under this chapter must bear a rational relationship to a need for the land dedication, easement, or other public improvement or parkland acquisition or initial improvement fee resulting from the subdivision or other division of land and must be proportional to the need.

History: 1979 c. 221, 248, 355; 1981 c. 354; 1983 a. 189 s. 329 (26); 2001 a. 16; 2005 a. 477; 2007 a. 44; 2009 a. 376, 399.

This section authorizes towns to regulate minimum lot size. *Town of Sun Prairie v. Storms*, 110 Wis. 2d 58, 327 N.W.2d 642 (1983).

Assessment of school and park land dedication fees as a condition for rezoning and issuance of building permit was authorized. *Black v. City of Waukesha*, 125 Wis. 2d 254, 371 N.W.2d 389 (Ct. App. 1985).

This section does not prevent municipalities from adopting and enforcing more than one ordinance that relates to subdivisions. *Manthe v. Town of Windsor*, 204 Wis. 2d 546, 555 N.W.2d 156 (Ct. App. 1996), 95–1312.

A city may not condition extraterritorial plat approval on annexation. *Hoepker v. City of Madison Plan Commission*, 209 Wis. 2d 633, 563 N.W.2d 145 (1997), 95–2013.

It was not a violation of this section, s. 61.34, or the public purpose doctrine for a municipality to assume the dual role of subdivider of property it owned and reviewer of the plat under ch. 236. *Town of Beloit v. Rock County*, 2001 WI App 256, 249 Wis. 2d 88, 637 N.W.2d 71, 00–1231.

Affirmed on other grounds, 2003 WI 8, 259 Wis. 2d 37, 657 N.W.2d 344, 00–1231. A municipality has the authority under sub. (2) to impose a temporary town-wide prohibition on land division while developing a comprehensive plan under s. 66.1001. *Wisconsin Realtors Association v. Town of West Point*, 2008 WI App 40, 309 Wis. 2d 199, 747 N.W.2d 681, 06–2761.

A city may not use its extraterritorial plat approval authority to impose land use regulation that should have been done in cooperation with neighboring towns through extraterritorial zoning. Although purporting to be a density standard, the city’s 35-acre density restriction was a use prohibition, the very essence of zoning. *Lake Delavan Property Company, LLC v. City of Delavan*, 2014 WI App 35, ___ Wis. 2d ___, 844 N.W.2d 632, 2014 WI App 35, 13–1202.

A subdivision plat prepared in compliance with a local ordinance enacted under authority of s. 236.45 is not required by statutes to be submitted for state level review unless such land division results in a “subdivision” as defined in s. 236.02 (8) [now s. 236.02 (12)]. 59 Atty. Gen. 262.

If subdivision regulations, adopted under s. 236.45, conflict, a plat must comply with the most restrictive requirement. 61 Atty. Gen. 289.

Application of municipal and county subdivision control ordinances within the municipality’s extraterritorial plat approval jurisdiction is discussed. 66 Atty. Gen. 103.

A county’s minimum lot size zoning ordinance applies to parcels created by a court through division in a partition or probate action, even if such division would be exempted from a municipality’s subdivision authority under sub. (2) (am) 1. A county can enact a subdivision ordinance requiring prior review of sales or exchanges of parcels between adjoining landowners in order to determine whether the division would comply with minimum lot size requirements. OAG 1–14.

236.46 County plans. (1) (a) The county planning agency may prepare plans, in such units as it may determine, for the future platting of lands within the county, but without the limits of any municipality, or for the future location of streets or highways or parkways, and the extension or widening of existing streets and highways. Before completion of these plans, the county planning agency shall fix the time and place it will hear all persons who desire to be heard upon the proposed plans, and shall give notice of that hearing as required below for the passage of the ordinance by the county board. After these hearings the county planning agency shall certify the plans to the county board, who may, after having submitted the same to the town boards of the several towns in which the lands are located and obtained the approval of the

town boards, adopt by ordinance the proposed plans for future platting or for street or highway or parkway location in towns which may have approved the same, and upon approval of those towns may amend the ordinance. Before the ordinance or any amendments to the ordinance are adopted by the county board, notice shall be given by publication of a class 2 notice, under ch. 985, of a hearing at which all persons interested shall be given an opportunity to be heard at a time and place to be specified in the notice. The ordinance with any amendments as may be made shall govern the platting of all lands within the area to which it applies.

(b) In counties having a population of less than 500,000 any plan adopted under this section does not apply in the extraterritorial plat approval jurisdiction of any municipality unless that municipality by ordinance approves the same. This approval may be rescinded by ordinance.

(2) A plan adopted under this section may be any of the following:

- (a) A system of arterial thoroughfares complete for each town.
- (b) A system of minor streets for the complete area surrounded by any such main arterial thoroughfares and connecting therewith.
- (c) The platting of lots for any area surrounded completely by any such arterial thoroughfares or any such minor streets or both.

(3) Such system of arterial thoroughfares and such system of minor streets within such system of arterial thoroughfares and such platting of lots within any such system of minor streets may be adopted by the same proceeding. For the purpose of this section a parkway may be considered either an arterial thoroughfare or a minor street if it performs the function of an arterial thoroughfare or minor street. A natural obstacle like a lake or river or an artificial obstacle like a railroad or town line may, where necessary, be

the boundary of a plan adopted under this section instead of a street or highway or parkway.

History: 1979 c. 248.

SUBCHAPTER X

GENERAL PROVISIONS

236.50 Date chapter applies; curative provisions as to plats before that date. (1) (a) This chapter shall take effect upon July 1, 1956, but any plat recorded prior to December 31, 1956, may be approved and recorded in accordance with this chapter or ch. 236, 1953 stats. This chapter shall not require that any subdivision made prior to July 1, 1956, which was platted under the laws in force at that time or which did not constitute a subdivision under the laws in force at that time, be platted and the plat approved and recorded as provided in this chapter.

(b) This chapter shall not require the preparation and recording of a plat of any subdivision which has been staked out and in which sales or contracts of sales have actually been made prior to June 28, 1935, and nothing herein contained shall require the recording of a plat showing property sold or contracted for sale by metes and bounds or by reference to an unrecorded plat prior to June 28, 1935, as a condition precedent to the sale or contract of sale of the whole or part thereof.

(2) No plat which was recorded in the office of any register of deeds prior to July 1, 1956, shall be held invalid by reason of non-compliance with any statute regulating the platting of lands, in force at the time of such recording. Any unaccepted offer of donation or dedication of land attempted to be made in any such plat shall be as effectual as though all statutory requirements had been complied with unless an action to set aside such offer of donation or dedication is commenced prior to July 1, 1958.